

BUKTI KORESPONDENSI
JURNAL NASIONAL TERAKREDITASI KEMENRISTEKDIKTI PERINGKAT 4

Judul artikel : Optimization Formula of Kolang-Kaling (Arenga Pinnata.) Peel-Off Gel Mask with Combination PVA - CMC Na as Gelling Agent on Simplex Lattice Design

Jurnal : Media Farmasi Indonesia

Edisi : Tahun 2025, Vol 20, No.1 Halaman 67-75

Penerbit : Sekolah Tinggi Ilmu Farmasi Yayasan Pharmasi Semarang

Penulis : Intan Martha Cahyani, Eka Susanti Hanhadyanaputri, Ariani Hesti Wulan, Indah Sulistyarini

Tabel Tahapan Publikasi Artikel

No	Tahapan Publikasi	Tanggal
1	Manuscript Submission	13 Januari 2025
2	Review Discussions: Revisions Required and reviewer comment	11 Februari 2025
3	Submit revised manuscript	14 Februari 2025
4	Editor Decision: Article Acceptance	18 Februari 2025
5	Check Galley Proof	20 Februari 2025
6	Confirm final proofreading approval	24 Februari 2025
7	Editor Decision: Notifications Editing is complete and sending it to production.	19 Maret 2025
8	Article Published Vol 20 issue 1 (22 April 2025) on website https://mfi.stifar.ac.id/MFI/article/view/316 https://mfi.stifar.ac.id/MFI/article/view/316/208	22 April 2025

1. Manuscript Submission

The screenshot shows a Gmail interface with a search bar containing 'mfi'. The email list shows an email from 'Media Farmasi Indonesia' with the subject '[MFI] Submission Acknowledgement'. The email content includes a thank you message, a submission URL, and the author's name.

[MFI] Submission Acknowledgement Kotak Masuk x

Media Farmasi Indonesia <mfi.stifar@gmail.com>
kepada saya ▾ 13 Jan 2025, 15.43

Terjemahkan ke Indonesia

Intan Martha Cahyani:

Thank you for submitting the manuscript, "Optimization Formula of Kolang-Kaling Peel-Off Gel Mask with Combination PVA - CMC Na as Gelling Agent on Simplex Lattice Design " to Media Farmasi Indonesia. With the online journal management system that we are using, you will be able to track its progress through the editorial process by logging in to the journal web site:

Submission URL: <https://mfi.stifar.ac.id/MFI/authorDashboard/submission/316>
Username: intanmarthacahyani

If you have any questions, please contact me. Thank you for considering this journal as a venue for your work.

Media Farmasi Indonesia

The screenshot shows the author dashboard for Media Farmasi Indonesia. The page title is 'Optimization Formula Of Kolang-Kaling (Arenga Pinnata.) Peel-Off Gel Mask With Combination Pva - Cmc Na As Gelling Agent On Simplex Lattice Design'. The author's name is 'Intan Martha Cahyani, Eka Susanti Hanhadyanaputri, Ariani Hesti Wulan , In...'. The dashboard shows a list of submission files with columns for ID, filename, date, and type.

Media Farmasi Indonesia Tasks 1 English View Site intanmarthacahyani

Submission Library View Metadata

Optimization Formula Of Kolang-Kaling (Arenga Pinnata.) Peel-Off Gel Mask With Combination Pva - Cmc Na As Gelling Agent On Simplex Lattice Design
Intan Martha Cahyani, Eka Susanti Hanhadyanaputri, Ariani Hesti Wulan , In...

Submission Review Copyediting Production

Submission Files Search

ID	Filename	Date	Type
1201-2	intanmarthacahyani, MFI_SINAFI_INTAN MC.docx (2)	January 13, 2025	Article Text
1210-1	316-Article Text-1201-2-2-20250113.docx	February 10, 2025	Article Text

Download All Files

2. Review Discussions: Revisions Required and reviewer comment

The screenshot shows a Gmail interface with a search bar containing 'mfi'. The email from Ririn Suharsanti (mfi.stifar@gmail.com) is selected. The email content includes a notification from Media Farmasi Indonesia regarding a discussion titled "article review results" for a submission on "Optimization Formula of Kolang-Kaling Peel-Off Gel Mask with Combination PVA - CMC Na as Gelling Agent on Simplex Lattice Design". A link to the submission is provided: <https://mfi.stifar.ac.id/MFI/authorDashboard/submission/316>. The email is dated Sel, 11 Feb, 12:03.

The screenshot shows a dialog box titled "article review results" with a close button (X). It lists the participants: Ririn Suharsanti (ririnsuharsanti) and Intan Martha Cahyani (intanmarthacahyani). Under the "Messages" section, there is a table of messages:

Note	From
Dear author, Please revise immediately until February 16 2025 316-1222-1-5-20250211.doc 316-1225-1-5-20250211.docx	ririnsuharsanti 2025-02-11 05:02 AM

An "Add Message" button is located at the bottom right of the dialog box. The background shows a dark interface with a search bar and "Upload File" button.

3. Submit revised manuscript

The screenshot shows a web browser window with the URL <https://mfi.stifar.ac.id/MFI/authorDashboard/submission/316>. A modal window titled "Revision" is open, displaying the following information:

Participants [Edit](#)

Ririn Suharsanti (ririnsuharsanti)
Intan Martha Cahyani (intanmarthacahyani)

Messages

Note	From
Thank you for your input in improving our article, attached is the revised manuscript intanmarthacahyani, Revision_MFI_SINAFI_INTAN MC.docx	intanmarthacahyani 2025-02-14 06:08 AM

An "Add Message" button is located at the bottom right of the modal.

4. Editor Decision: Article Acceptance

The screenshot shows a Gmail inbox with the search term "mfi". The selected email is from Ririn Suharsanti (ririnsuharsanti@mfi.stifar.ac.id) with the subject "[MFI] Editor Decision". The email content is as follows:

[MFI] Editor Decision Kotak Masuk

Ririn Suharsanti <mfi.stifar@gmail.com>
kepada saya, Eka, Ariani, Indah

[Terjemahkan ke Indonesia](#)

Intan Martha Cahyani, Eka Susanti Hanhadyanaputri, Ariani Hesti Wulan , Indah Sulistyarni:

We have reached a decision regarding your submission to Media Farmasi Indonesia, "Optimization Formula of Kolang-Kaling Peel-Off Gel Mask with Combination PVA - CMC Na as Gelling Agent on Simplex Lattice Design".

Our decision is to: Accept Submission

Ririn Suharsanti
Sekolah Tinggi Ilmu Farmasi
ririnsuharsanti@stifar.ac.id

Notifications

[MFI] Editor Decision

2025-02-18 07:56 AM

Intan Martha Cahyani, Eka Susanti Hanhadyanaputri, Ariani Hesti Wulan , Indah Sulistyarini:

We have reached a decision regarding your submission to Media Farmasi Indonesia, "Optimization Formula of Kolang-Kaling Peel-Off Gel Mask with Combination PVA - CMC Na as Gelling Agent on Simplex Lattice Design".

Our decision is to: Accept Submission

Ririn Suharsanti
Sekolah Tinggi Ilmu Farmasi
ririnsuharsanti@stifar.ac.id

[Media Farmasi Indonesia](#)

32°C Kabut

1:35 PM 6/13/2025

5. Check Galley Proof

proofreading jurnal MFI Vo. 20 No.1

LPPM STIFAR <lppm.stifar.yaphar@gmail.com>
kepada saya

20 Feb 2025, 14:47

Kami mengundang penulis untuk mengoreksi naskah dan memastikan bahwa ini adalah versi final yang akan diterbitkan. Untuk Jurnal MFI Vol. 20 No. 1 Bulan April 2025. Harap baca instruksi berikut dengan seksama sebelum melakukan revisi:

- 1) Silahkan unduh naskah pada email ini. Jika Anda mengalami kesulitan, silahkan hubungi Kantor Editorial MFI.
- 2) Silahkan gunakan fungsi *Track Changes* pada Microsoft Word untuk menyunting setiap perubahan tekstual yang dibuat. Mohon diperhatikan bahwa *proofreading* ini merupakan *kesempatan akhir* untuk melakukan perubahan tekstual pada naskah sebelum penerbitan.
Note: Harap tidak melakukan perubahan format apapun (contoh: ukuran dan tipe font, lebar kanan-kiri, spasi, dsb.) pada naskah *proofreading* ini.
- 3) Semua penulis harus menyetujui versi final *proofreading* sebelum dikirimkan kembali ke redaksi. Mohon periksa kembali penulisan nama dan afiliasi pada naskah. Revisi nama dan afiliasi tidak dapat dilakukan setelah naskah final kami terima.

sebagai catatan untuk penulis bisa menuliskan anggotanya untuk bisa dicantumkan dalam jurnal apabila sudah terlanjur tidak dituliskan bisa kirim email untuk kami merevisi lewat akun editor.
(sebelum cetak iurnal)

← → ↻ <https://mail.google.com/mail/u/0/#search/mfi/FMfcgzQZTMPjtMMqjgRCqGXKCKWhNSnJ> 🌐 📄 📧 📧 📧 📧 📧

Import bookmarks... Article In Press 2025 | ... Webmail Login

Gmail ✕ 📄 📄 📄 📄 📄

✎ Tulis

- 📧 **Kotak Masuk** 1.806
- ☆ Berbintang
- 🕒 Ditunda
- 📌 Penting
- ▶ Terkirim
- 📄 **Draf** 43
- 📁 Kategori
- 👤 **Sosial** 4
- 📌 **Info Terbaru** 1.298
- 📄 **Forum** 1
- 📌 **Promosi** 142
- ⌵ Selengkapnya

← 📄 🕒 🗑️ 📧 📄 ⋮ 5 dari banyak < > ✎ 📄

sebagai catatan untuk penulis bisa menuliskan anggotanya untuk bisa dicantumkan dalam jurnal apabila sudah terlanjur tidak dituliskan bisa kirim email untuk kami merevisi lewat akun editor.
(sebelum cetak jurnal)

Setelah *proofreading*, produksi akhir akan dilakukan. Mohon diperhatikan bahwa letak/posisi gambar dan tabel pada naskah mungkin dapat berubah selama proses produksi.
Perubahan naskah setelah terbit hanya dapat dilakukan atas kebijakan dari Kantor Redaksi.

Mohon kirimkan kembali naskah final *proofreading* ke alamat email ini. Terima kasih.

Satu lampiran • Dipindai dengan Gmail ⓘ

316-Article Text-1...

6. Confirm final proofreading approval

← → ↻ <https://mail.google.com/mail/u/0/#search/mfi/FMfcgzQZTMPjtMMqjgRCqGXKCKWhNSnJ> 🌐 📄 📧 📧 📧 📧 📧

Import bookmarks... Article In Press 2025 | ... Webmail Login

Gmail ✕ 📄 📄 📄 📄 📄

✎ Tulis

- 📧 **Kotak Masuk** 1.806
- ☆ Berbintang
- 🕒 Ditunda
- 📌 Penting
- ▶ Terkirim
- 📄 **Draf** 43
- 📁 Kategori
- 👤 **Sosial** 4
- 📌 **Info Terbaru** 1.298
- 📄 **Forum** 1
- 📌 **Promosi** 142
- ⌵ Selengkapnya

← 📄 🕒 🗑️ 📧 📄 ⋮ 5 dari banyak < > ✎ 📄

Intan Martha Cahyani <intanmartha20@gmail.com> 24 Feb 2025, 11:57 ☆ 😊 ↶ ⋮

kepada LPPM ▾

Berikut kami kirimkan naskah akhir yang telah kami setujui

Satu lampiran • Dipindai dengan Gmail ⓘ

316-Article Text-1...

↶ Balas ↷ Teruskan 😊

7. Editor Decision: Notifications Editing is complete and sending it to production

← → ↻ <https://mfi.stifar.ac.id/MFI/authorDashboard/submission/316> ☆

Import bookmarks... Article In Press 2025 | ... Webmail Login

Media Farmasi Indonesia Task

Notifications

[MFI] Editor Decision

2025-03-19 08:15 AM

Intan Martha Cahyani, Eka Susanti Hanhadyanaputri, Ariani Hesti Wulan , Indah Sulistyarini:

The editing of your submission, "Optimization Formula of Kolang-Kaling Peel-Off Gel Mask with Combination PVA - CMC Na as Gelling Agent on Simplex Lattice Design , " is complete. We are now sending it to production.

Submission URL: <https://mfi.stifar.ac.id/MFI/authorDashboard/submission/316>

admin_stifar
stifar.it@gmail.com

[Media Farmasi Indonesia](#)

Intanmarthacahyani

2025-02-18 07:56 AM

2025-03-19 08:15 AM

Search

8. Article Published Vol 20 issue 1 (22 April 2025) on website

← → ↻ <https://mfi.stifar.ac.id/MFI/article/view/316> ☆

Import bookmarks... Article In Press 2025 | ... Webmail Login



MEDIA FARMASI INDONESIA

Home About Current Archives Announcements Submissions Search

Home / Archives / Vol. 20 No.1 (2025): Media Farmasi Indonesia / Articles

Optimization Formula Of Kolang-Kaling (Arenga Pinnata.) Peel-Off Gel Mask With Combination Pva - Cmc Na As Gelling Agent On Simplex Lattice Design

<https://doi.org/10.53359/mfiv20i1.316>

 Intan Martha Cahyani STIFAR "Yayasan Pharmasi", Letjend Sarwo Edie Wibowo KM 1, Semarang, Indonesia https://orcid.org/0000-0001-9870-1048	 Eka Susanti Hanhadyanaputri STIFAR "Yayasan Pharmasi", Letjend Sarwo Edie Wibowo KM 1, Semarang, Indonesia
---	---



Optimization Formula of Kolang-Kaling Peel-Off Gel Mask with Combination PVA - CMC Na as Gelling Agent on Simplex Lattice Design

Intan Martha CAHYANI*, Eka Susanti HANHADYANAPUTRI, Ariani Hesti WULAN, Indah SULISTYARINI

STIFAR Yayasan Pharmasi, letjend Sarwo Edie Wibowo KM 1, Semarang, Indonesia

[*Corresponding author: intanmartha20@gmail.com](mailto:intanmartha20@gmail.com)

Abstract

Kolang-kaling fruit in topical preparations increase its effectiveness as an antioxidant. The peel-off gel mask is as an effective topical preparation for skin health and user comfort. Its formulation is determined by quality parameters, particularly forming a plastic film of PVA and CMC Na as polymers. This study aims to determine the effect of these combination and the ratio of both concentrations based on the physical characteristics and IC50 value. The optimization on the simplex lattice design was obtained in 8 runs with PVA concentrations (10% -15%) and CMC Na (0.5% -5.5%). The pH value, spreadability, adhesion, drying time, and IC50 were used as parameters to determine optimal formula. The results showed that the difference in PVA and CMC Na concentrations had a significant effect on all optimization parameters (p-value <0.05) and the lack of fit for each replication was not significant (p-value > 0.05). The optimal formula obtained PVA concentration of 14.97% and CMC Na 0.53% with a predicted pH of 5.55; adhesion of 6.63 seconds; spread power of 20.34 cm; drying time of 18 minutes, and IC50 of 25.5 ppm (desirability of 0.954), which is not significantly different from the observation results indicating the optimization is valid.

Keyword: Kolang-kaling, Optimization, Peel-off gel mask, PVA, CMC Na.

INTRODUCTION

Kolang-kaling is a type of *Aren* fruit with a chewy texture and a fresh taste, it is widely used as an ingredient in drinks or traditional foods. Several studies have stated that kolang-kaling has numerous health benefits because of the content of compounds, including 9.1% calcium (bones) (Holly et al., 2018) flavonoids (joint pain) (Yolanda & Febriyanti, 2021) crude fiber 10.52% (digestion), and galactomannan, which is widely used as an emulsifier and thickener in ice cream.(Ihsan et al., 2022)

Galactomannan, is a natural hydrocolloid (Hasna, 2020) the content of kolang-kaling is 10µg/mL with antioxidant activity >50% higher than vitamin C (Yanti & Ali, 2017). In another study, it was stated that the antioxidant activity of galactomannan was included in the very strong category with IC50 (20.45 ppm) (Tarigan, 2012): The process of processing and drying

Kolang-kaling into powder with several heating methods can affect the antioxidant activity of glucomannan. The drying method that can maintain antioxidant activity in the very strong category is a microwave at a temperature of 40°C for 22 hours with an IC50 value of 25.30 ppm (Hanhadyanaputri et al., 2023) showing the potential to be developed as a peel-off gel mask preparation to increase its effectiveness and comfort.

Peel-off gel mask is the right dosage form for use on facial skin with an elastic membrane and is easy to remove after use. (Sulastri & Dewi, 2018) In its formulation, gelling agent plays an important role for this purpose. Polyvinyl Alcohol (PVA) can function as a gelling agent because it is a hydrophilic polymer with adhesive properties that will help provide a film layer effect called the peel-off effect and can be easily peeled off after drying (Anung Anindhita et al., 2023). Not only does PVA have advantages as a gelling agent, but there are also disadvantages that must be considered in its use, namely the formation of a rigid and easily broken film layer (Sinambela & Telaumbanua, 2022). Carboxymethyl Cellulose Sodium (CMC Na) is a hydrophilic polymer with a more stable viscosity over a long period of time (Eryani et al., 2023) thus it can increase the elasticity of the PVA layer formed. This study aims to determine the effect of the combination of PVA and CMC Na and the ratio of these concentrations to obtain the optimal peel-off gel mask formula for kolang-kaling.

MATERIALS AND METHODS

a) Materials and Tools

The materials needed are kolang-kaling taken from Gunung Pati Semarang PVA, CMC Na, propylene glycol, methylparaben, 2,2-diphenyl-1-picrylhydrazyl (DPPH), and Vitamin C. In this research process, tools are needed, including a blender, microwave, pH meter, and UV-Vis spectrophotometer.

b) Methods

Preparation of Kolang-Kaling Powder

Soak the Kolang-kaling in clean water for 1 x 24 hours, wash it clean, drain, thinly sliced, and dried in a microwave at 40°C for 22 hours, blended and sieved through mesh No. 44.

Preparation of Kolang-Kaling Peel-Off Gel Mask

PVA, CMC Na, and palm sugar powder were each developed with 80°C aqua destillata, then mixed and homogenized. The mixture was added with methylparaben that had been dissolved in propylene glycol, and stirred until homogeneous. The proportion of PVA and CMC Na was determined according to the optimization design with the simplex lattice design method according to the formula for each run as seen in Table 1.

Table 1. Design Optimization of Kolang-Kaling Peel-Off Gel Mask

Formula	RUN									
	I	II	III	IV	V	VI	VII	VIII	IX	X
Kolang-Kaling Powder (%)	2	2	2	2	2	2	2	2	2	2
PVA (%)	10	12.5	15	10	13.75	11.25	10	12.5	15	15
CMC Na (%)	5.5	3	0.5	5.5	1.75	4.25	5.5	3	0.5	0.5
Propylene Glycol (%)	10	10	10	10	10	10	10	10	10	10
Methyl Paraben (%)	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
Aquadest (%)	Ad 100									

Physical Characteristics Test of Kolang-Kaling Peel-Off Gel Mask

pH Test

This was done by dipping the pH meter electrode into the preparation, leaving it until showing a constant pH value (Andini et al., 2017). A good preparation has a pH that matches the skin's pH, namely in the range of 4.5-6.5 so that when the preparation is applied, it does not cause irritation or cause dry and scaly skin (Silvia et al., 2021).

Drying Time Test

A preparation of 0.1 grams was applied to an area of 2.5 x 2.5 cm on the arm and the time required for the preparation to dry is observed (Andini et al., 2017). The drying time for a good peel-off gel mask spent 15-30 minutes (Silvia et al., 2021).

Spreadability Test

Of 0.5 grams preparation was placed in the center of the spreadability tester, covered with a glass plate that had been previously weighed and its weight recorded, left for one minute, then the four sides of the spread diameter were measured and a load of 50 grams was added, and left again for one minute. The spread diameter of the preparation was then recorded as before. The addition of the load was stopped when the spread diameter of the preparation is constant (Cahyani & Putri, 2017). The spread of a good peel off gel mask is in the range of 5-7 cm.(Silvia et al., 2021)

Adhesion Test

It was carried out by placing 0.25 grams of the preparation on the object glass, given pressure with the addition of a load of 100 grams for 5 minutes and mounted on the adhesion tester. The time for the two object glasses to be released was then recorded. The adhesion test of a good peel-off gel mask was more than 1 second.(Syam et al., 2021)

Antioxidant Activity Test by DPPH (2,2-diphenyl-1-picrylhydrazyl) Method

Vitamin C was produced in a series with concentrations of 2,4,6,8,10 ppm. Gel mask samples were made in concentrations of 20,40,60,70,80 ppm. A 2.0 ml sample was added with 2.0 ml of DPPH solution, placed in a test tube that had been coated with aluminum foil. The samples were incubated at room temperature according to the OT obtained by each sample. Measure the absorbance using a UV-Vis spectrophotometer using the maximum wavelength obtained. Perform testing on all runs and determine the IC50 value of each run (Diah et al., 2022).

RESULTS AND DISCUSSION

The peel-off gel mask preparation of kolang-kaling powder obtained was then tested for physical characteristics, including pH, drying time, spreadability, adhesion test and antioxidant activity (IC50) with the results of each run can be seen in Table 2.

Table 2. Optimization Response to Characterization of Kolang-Kaling Peel-Off Gel Mask

Response	RUN									
	I	II	III	IV	V	VI	VII	VIII	IX	X
pH	5.98	5.70	5.63	5.81	5.69	5.72	5.90	5.68	5.51	5.49
Drying Time (minute)	19	16	17	18	18	17	19	20	18	19
Spreadability (cm)	4.25	6.48	5.45	3.50	8.48	5.02	4.45	6.56	6.78	6.98
Adhesion (second)	37	27	22	28	20	29	31	28	15	25
IC50 (ppm)	33.94	34.97	33.24	39.52	38.69	42.00	36.38	35.95	20.51	20.43

pH Test

Based on the optimization equation of the pH test parameters, it shows that PVA and CMC Na both have an effect on increasing the pH value with coefficients of +0.36 and +0.47 respectively (Table 3), but the effect of the increase was dominated by CMC Na because CMC Na has a higher pH (7.0 - 8.5) (Wijayanti et al., 2005) compared to PVA pH (5.0 – 8.0) (Arijani & Ariani, 2019). The results are in accordance with the pH test profile of the kolang-kaling

peel-off gel mask preparation shown in Figure 1a. where there is an increase in the curve that is proportional to the increase in CMC Na concentration.

Dry Time Test

Table 3 shows the optimization equation showing that the increase in drying time is significantly influenced by the increase in PVA and CMC Na concentrations (+1.18 and +2.15) with the increase in the curve being dominated by the influence of CMC Na (Figure 1b), while the combination of both has the opposite effect (-0.09). These results indicate that increasing the concentration of PVA can accelerate the drying time due to its adhesive properties (Septiani et al., 2021) so that it forms a dry layer more quickly, as report (Diah et al., 2022).

Table 3. Optimization Equation of Kolang-Kaling Peel-Off Gel Mask

Response	Equation	Model (p-value)	Lack of fit (p-value)
pH	$Y=0.36 A + 0.47 B - 4.97.10^{-3} AB$	0.0015	0.5356
Drying Time	$Y=1.18 A + 2.15 B - 0.09 AB$	0.0268	0,7580
Spreadability	$Y=0.40 A - 2.44 B + 0.24 AB$	0.0054	0.1025
Adhesion	$Y=1.23 A + 3.56 B + 4.21.10^{-3} AB$	0.0195	0.7032
IC50	$Y=1.35 A - 7.53 B + 1.18 AB$	0.0268	0.4315

Note: (P<0.05 means significantly different)

Spreadability Test

The analysis results showed that PVA gave a synergistic effect (+0.40) while CMC Na was anatagonistic (-2.44) on the spreadability of the peel-off gel mask preparation of kolang-kaling powder (Figure 1c). This is influenced by the adhesive properties of PVA which can form resistance so that it provides resistance to mass spread (Diah et al., 2022).

Adhesion Test

The synergistic effect is presented in the increase in the concentration of PVA (+1.23) and CMC Na (+3.56) on the adhesion power of the peel-off gel mask preparation of kolang-kaling powder. Figure 1d shows that the effect of PVA is lower than CMC Na because CMC Na is a hydrophilic polymer, which can expand with the presence of water so that the binding power between particles and viscosity increases (Kusuma et al., 2018). Meanwhile, PVA in high concentrations forms a thinner liquid so that the resulting synergistic effect is lower (Wibowo et al., 2022).

Antioxidant Activity Test by DPPH (2,2-diphenyl-1-picrylhydrazyl) Method

The results of the antioxidant activity test analysis showed that PVA gave a synergistic effect (+1.35) while CMC Na had an antagonistic effect (-7.53) on the IC₅₀ value of the peel-off gel mask preparation of kolang-kaling powder as seen in the equation Table 3 and reinforced by Figure 1e. Increasing the concentration of CMC Na in the preparation can increase the dispersion of galactomanan the form of molecular dispersion. It can bind to DPPH free radicals so that increasing its antioxidant activity as indicated by a decrease in the IC₅₀ value (Zahara et al., 2020).




Figure 1. Contour Plot Effect Concentration of PVA and CMC Na on (a) pH; (b) Dry Time; (c) Spreadability; (d) Adhesion; and (e) IC₅₀

Optimization

The optimum formula of peel-off gel mask preparation of kolang-kaling powder was obtained based on the target regression model of all response, namely pH, adhesion, spreading, drying time and IC₅₀.

Table 4. Comparative Analysis of Prediction and Observed Data

Response	Prediction	Observation ±SD	p-value
----------	------------	-----------------	---------

BUKTI KORESPONDENSI MANUSCRIPT SUBMISSION

pH	5.55	5.60 ± 0.03	0.06
Drying Time	18.06	18 ± 0.00	0.09
Spreadability	6.63	6.54 ± 0.03	0.09
Adhesion	20.34	20.28 ± 0.07	0.20
IC50	25.5	25.55 ± 0.73	0.91

Note: (P<0.05 means significantly different)

The selected formula is expected to produce peel-off gel mask preparation of kolangkaling powder with optimal results for each parameter by determining the priority scale at a weight of 0.1-1. Furthermore, the optimization analysis will produce a desire function in which this study each parameter response is expected as an objective function and the desire function is developed to obtain optimum conditions (Mesa et al., 2017). The results of the model analysis show that the optimum formula is obtained at PVA concentration of 14.97% and CMC Na 0.53% with a predicted pH of 5.55; adhesion of 6.63 seconds; spreadability of 20.34 cm; drying time of 18 minutes and IC50 of 25.5 ppm. The formula has a desirability value of 0.954. The high desirability value indicates that the system will produce predicted values that are close to ideal (Amdoun et al., 2018) To ensure the predicted value, a one-sample t-test analysis was performed with the observation results. The data results show that the observation results are not significantly different from the predicted values (P>0.05) for all optimization parameters as shown in Table 4.

CONCLUSIONS

The optimal formula was achieved with a PVA concentration of 14.97% and CMC Na of 0.53%, resulting a predicted pH 5.55, adhesion 6.63 seconds, spreadability 20.34 cm, drying time 18 minutes, and IC50 25.5 ppm (desirability of 0.954). These values showed no significant differences from the observation results, indicating the validity of the optimization equations used for each parameter.

ACKNOWLEDGEMENTS

The author expresses gratitude to the Semarang Pharmacy Foundation for supporting this research through the lecturer grant program, funded by the Research and Community Service Institute (LPPM) of the Semarang Pharmacy Foundation, which has provided funding facilities to ensure the good execution of the study.

REFERENCES

Amdoun, R., Khelifi, L., Khelifi-Slaoui, M., Amroune, S., Asch, M., Assaf-Ducrocq, C., &

- Gontier, E. (2018). The Desirability Optimization Methodology; a Tool to Predict Two Antagonist Responses in Biotechnological Systems: Case of Biomass Growth and Hyoscyamine Content in Elicited *Datura stramonium* Hairy Roots. *Iranian Journal of Biotechnology*, 16(1), 11–19. <https://doi.org/10.21859/IJB.1339>
- Andini, T., Yusriadi, Y., & Yuliet, Y. (2017). Optimasi Pembentuk Film Polivinil Alkohol dan Humektan Propilen Glikol pada Formula Masker Gel Peel Off Sari Buah Labu Kuning (*Cucurbita moschata* Duchesne) sebagai Antioksidan. *Jurnal Farmasi Galenika (Galenika Journal of Pharmacy)*, 3(2), 101–108.
- Anung Anindhita, M., Prastiwi, D., Lu, N., Fitriyani, lu, Nanda Rini, S., & Farmasi Universitas Pekalongan, F. (2023). Pengaruh Penggunaan Polivinil Alkohol sebagai Gelling Agent terhadap Sifat Fisikokimia sediaan Gel Peel-off Ekstrak Etanol Buah Pedada. *Parapemikir : Jurnal Ilmiah Farmasi*, 12(1), 18–29. <https://doi.org/10.30591/PJIF.V12I1.3990>
- Arijani, S., & Ariani, L. W. (2019). Pengaruh Variasi Konsentrasi PVA Pada KARAKTERISTIK FISIK Sediaan Masker Gel Peel Off Ekstrak Daun Ungu (*Graptophyllum pictum* L. Griff). *Media Farmasi Indonesia*, 14(2), 1525–1530. <https://mfi.stifar.ac.id/MFI/article/view/131/106>
- Cahyani, I. M., & Putri, I. D. C. (2017). Efektivitas Karbopol 940 Dalam Formula Masker Gel Peel-Off Ekstrak Temu Giring (*Curcuma heyneana* Val & Zijp). *Journal of Pharmaceutical and Medicinal Sciences*, 2(2), 48–51.
- Diah, N. P., Swari, M., Cahyani, I. M., & Hanhadyanaputri, E. S. (2022). Optimization of Polyvinyl Alcohol (PVA) and Glycerin in Kolang Kaling Peel-Off Gel Mask Formula (*Arenga pinnata*). *Journal of Food and Pharmaceutical Sciences*, 2022(3), 746–753. <https://doi.org/10.22146/JFPS.5718>
- Eryani, M. C., Maulani, D., & Ningsih, A. D. R. (2023). Pengaruh Variasi Konsentrasi CMC Na Terhadap Sifat Fisik Masker Gel Peel Off Vitamin C. *MEDFARM: Jurnal Farmasi Dan Kesehatan*, 12(2), 172–180.
- Hanhadyanaputri, E. S., Wulan, A. H., Sulistyarini, I., & Cahyani, I. M. (2023). Perbedaan Aktivitas Antioksidan pada Kolang Kaling Segar dan Kolang Kaling Serbuk. *Jurnal Insan Farmasi Indonesia*, 6(3), 175–183.
- Hasna, L. Z. (2020). Pengaruh Penambahan Gula Pasir Sukrosa Pada Buah Aren (*Arenga pinnata*) Terhadap Manisan Kolang Kaling. *FoodTech: Jurnal Teknologi Pangan*, 3(2), 1–11.
- Holly, P., Kilim, M. ., Harold, M. ., & Rosen, M. . (2018). Optimizing calcium and vitamin D

- intake through diet and supplements. *Land Clinic Journal of Medicine*, 85(7), 543–550.
- Ihsan, F., Sugiyono, & Suyatma, N. (2022). Kakarakteristik Galaktomanan dari Berbagai Sumber dan Pemanfaatannya sebagai Bahan Tambahan pada Produk Pangan. *Jurnal Penelitian Dan Pengembangan Pertanian*, 41(20–30).
- Kusuma, T. M., Metty, A., Dianita, P. S., & Syifa, N. (2018). Pengaruh Variasi Jenis dan Konsentrasi Gelling Agent Terhadap Sifat Fisik Gel Hidrokortison. *Jurnal Farmasi Sains Dan Praktis*, 4(1), 44–49.
- Mesa, L., Martínez, Y., Barrio, E., & González, E. (2017). Desirability function for optimization of Dilute Acid pretreatment of sugarcane straw for ethanol production and preliminary economic analysis based in three fermentation configurations. *Applied Energy*, 198, 299–311. <https://doi.org/10.1016/J.APENERGY.2017.03.018>
- Septiani, S., Watoni, N., & Mita, S. R. (2021). Formulasi Sediaan Masker Gel Antioksidan dari Ekstrak Etanol Biji Melinjo (*Gnetum Gnenom Linn*). *Students E-Journals*, 1(1), 1–5.
- Silvia, B. ., Dewi, M. ., & Darusman, F. (2021). Studi Literatur Pengaruh Jenis dan Konsentrasi Basis terhadap Karakteristik Masker Gel Peel Off. *Prosiding Farmasi*, 148–156.
- Sinambela, E. S., & Telaumbanua, D. (2022). Pengaruh Variasi Konsentrasi PVA dan HPMC Terhadap Stabilitas Fisik Masker Gel Peel-Off Ekstrak Metanol Biji Pepaya (*Carica papaya L.*). *Journal Health Of Education*, 3(2), 1–4.
- Sulastrri, A., & Dewi, M. . (2018). Formulasi Masker Gel Peel Off untuk Perawatan Kulit Wajah. *Farmaka*, 14(3), 17–26.
- Syam, N. ., Lestari, U., & Muhaimin. (2021). Formulasi Dan Uji Sifat Masker Gel Peel-Off dari Minyak Sawit Murni dengan Basis Carbomer 940. *Indonesian Journal of Pharma Science*, 3(1), 42–55.
- Tarigan, J. . (2012). *Karakterisasi Edible Film yang Bersifat Antioksidan dan Antimikroba dari Galaktomanan Biji Aren (Arenga pinnat) yang Diinkorporasikan dengan Minyak Atsiri Daun Kemangi (Ocimum basilicum L.)*.
- Wibowo, Z. H. L., Syakir, N., Fitrilawati, F., Faizal, F., & Safriani, L. (2022). Karakteristik Serat Nano PVA yang Dibuat Menggunakan Elektrosinning dengan Kolektor Statik. *Jurnal Material Dan Energi Indonesia*, 12(01), 26–33. <https://doi.org/10.24198/JME.V12I01.43204>
- Wijayanti, A., Ummah, K., & Tjahjani, S. (2005). Characterization of Carboxy Methyl Cellulose (CMC) From *Eichornia crassipes* (Mart) Solms. *Indo. J. Chem*, 5(3), 228–231.
- Yanti, M., & Ali, S. (2017). Cosmeceutical Effects of Galactomannan Fraction from *Arenga pinnata* Fruits In vitro. *Pharmacognosy Research*, 9(1), 39–45.

BUKTI KORESPONDENSI MANUSCRIPT SUBMISSION

Yolanda, Y., & Febriyanti. (2021). Pengaruh Pemberian kolang Kaling Terhadap Penurunan Skala Nyeri Rematik Pada Lansia. *Jurnal Menara Medika*, 3(2), 135–142.

Zahara, Lucida, H., & Zaini, E. (2020). Pembentukan dispersi padat kuersetin-PVP K-30 dan pengaruhnya terhadap aktivitas antioksidan. *Jurnal Ilmiah Farmasi*, 16(2), 144–154.

Optimization Formula of Kolang-Kaling Peel-Off Gel Mask with Combination PVA - CMC Na as Gelling Agent on Simplex Lattice Design

Abstract

Kolang-kaling fruit in topical preparations increase its effectiveness as an antioxidant. The peel-off gel mask is as an effective topical preparation for skin health and user comfort. Its formulation is determined by quality parameters, particularly forming a plastic film of PVA and CMC Na as polymers. This study aims to determine the effect of these combination and the ratio of both concentrations based on the physical characteristics and IC₅₀ value. The optimization on the simplex lattice design was obtained in 8 runs with PVA concentrations (10% -15%) and CMC Na (0.5% -5.5%). The pH value, spreadability, adhesion, drying time, and IC₅₀ were used as parameters to determine optimal formula. The results showed that the difference in PVA and CMC Na concentrations had a significant effect on all optimization parameters (p-value <0.05) and the lack of fit for each replication was not significant (p-value > 0.05). The optimal formula obtained PVA concentration of 14.97% and CMC Na 0.53% with a predicted pH of 5.55; adhesion of 6.63 seconds; spread power of 20.34 cm; drying time of 18 minutes, and IC₅₀ of 25.5 ppm (desirability of 0.954), which is not significantly different from the observation results indicating the optimization is valid.

Keyword: Kolang-kaling, Optimization, Peel-off gel mask, PVA, CMC Na.

INTRODUCTION

Kolang-kaling is a type of *Aren* fruit with a chewy texture and a fresh taste, it is widely used as an ingredient in drinks or traditional foods. Several studies have stated that kolang-kaling has numerous health benefits because of the content of compounds, including 9.1% calcium (bones) (Holly et al., 2018) flavonoids (joint pain) (Yolanda & Febriyanti, 2021) crude fiber 10.52% (digestion), and galactomannan, which is widely used as an emulsifier and thickener in ice cream. (Ihsan et al., 2022)

Galactomannan, is a natural hydrocolloid (Hasna, 2020) the content of kolang-kaling is 10µg/mL with antioxidant activity >50% higher than vitamin C (Yanti & Ali, 2017). In another study, it was stated that the antioxidant activity of galactomannan was included in the very strong category with IC₅₀ (20.45 ppm) (Tarigan, 2012). The process of processing and drying Kolang-kaling into powder with several heating methods can affect the antioxidant activity of glucomannan. The drying method that can maintain antioxidant activity in the very strong category is a microwave at a temperature of 40°C for 22 hours with an IC₅₀ value of 25.30 ppm (Hanhadyanaputri et al., 2023) showing the potential to be developed as a peel-off gel mask preparation to increase its effectiveness and comfort.

Commented [rr1]: add the name of the determination result

Commented [rr2]: add the name of the determination result

Commented [rr3]: at the beginning of the sentence it is explained, don't just abbreviate it

Commented [rr4]: at the beginning of the sentence it is explained, don't just abbreviate it

Commented [rr5]: IC₅₀, fix on all scripts

Commented [rr6]: add further research

BUKTI KORESPONDENSI CATATAN REVIEWER 1

PVA (%)	10	12.5	15	10	13.75	11.25	10	12.5	15	15
CMC Na (%)	5.5	3	0.5	5.5	1.75	4.25	5.5	3	0.5	0.5
Propylene Glycol (%)	10	10	10	10	10	10	10	10	10	10
Methyl Paraben (%)	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
Aquades (%)	Ad 100									

Physical Characteristics Test of Kolang-Kaling Peel-Off Gel Mask

pH Test

This was done by dipping the pH meter electrode into the preparation, leaving it until showing a constant pH value (Andini et al., 2017). A good preparation has a pH that matches the skin's pH, namely in the range of 4.5-6.5 so that when the preparation is applied, it does not cause irritation or cause dry and scaly skin (Silvia et al., 2021).

Commented [rr10]: Change to Peel-Off Gel Mask

Drying Time Test

A preparation of 0.1 grams was applied to an area of 2.5 x 2.5 cm on the arm and the time required for the preparation to dry is observed (Andini et al., 2017). The drying time for a good peel-off gel mask spent 15-30 minutes (Silvia et al., 2021).

Spreadability Test

Of 0.5 grams preparation was placed in the center of the spreadability tester, covered with a glass plate that had been previously weighed and its weight recorded, left for one minute, then the four sides of the spread diameter were measured and a load of 50 grams was added, and left again for one minute. The spread diameter of the preparation was then recorded as before. The addition of the load was stopped when the spread diameter of the preparation is constant (Cahyani & Putri, 2017) The spread of a good peel off gel mask is in the range of 5-7 cm.(Silvia et al., 2021)

Adhesion Test

It was carried out by placing 0.25 grams of the preparation on the object glass, given pressure with the addition of a load of 100 grams for 5 minutes and mounted on the adhesion tester. The time for the two object glasses to be released was then recorded. The adhesion test of a good peel-off gel mask was more than 1 second.(Syam et al., 2021)

Antioxidant Activity Test by DPPH (2,2-diphenyl-1-picrylhydrazyl) Method

Vitamin C was produced in a series with concentrations of 2,4,6,8,10 ppm. Gel mask samples were made in concentrations of 20,40,60,70,80 ppm. A 2.0 ml sample was added with 2.0 ml of DPPH solution, placed in a test tube that had been coated with aluminum foil. The

BUKTI KORESPONDENSI CATATAN REVIEWER 1

samples were incubated at room temperature according to the OT obtained by each sample. Measure the absorbance using a UV-Vis spectrophotometer using the maximum wavelength obtained. Perform testing on all runs and determine the IC50 value of each run (Diah et al., 2022).

RESULTS AND DISCUSSION

The peel-off gel mask preparation of kolang-kaling powder obtained was then tested for physical characteristics, including pH, drying time, spreadability, adhesion test and antioxidant activity (IC50) with the results of each run can be seen in Table 2.

Table 2. Optimization Response to Characterization of Kolang-Kaling Peel-Off Gel Mask

Response	RUN									
	I	II	III	IV	V	VI	VII	VIII	IX	X
pH	5.98	5.70	5.63	5.81	5.69	5.72	5.90	5.68	5.51	5.49
Drying Time (minute)	19	16	17	18	18	17	19	20	18	19
Spreadability (cm)	4.25	6.48	5.45	3.50	8.48	5.02	4.45	6.56	6.78	6.98
Adhesion (second)	37	27	22	28	20	29	31	28	15	25
IC50 (ppm)	33.94	34.97	33.24	39.52	38.69	42.00	36.38	35.95	20.51	20.43

pH Test

Based on the optimization equation of the pH test parameters, it shows that PVA and CMC Na both have an effect on increasing the pH value with coefficients of +0.36 and +0.47 respectively (Table 3), but the effect of the increase was dominated by CMC Na because CMC Na has a higher pH (7.0 - 8.5) (Wijayanti et al., 2005) compared to PVA pH (5.0 - 8.0) (Arijani & Ariani, 2019). The results are in accordance with the pH test profile of the kolang-kaling peel-off gel mask preparation shown in Figure 1a. where there is an increase in the curve that is proportional to the increase in CMC Na concentration.

Dry Time Test

Table 3 shows the optimization equation showing that the increase in drying time is significantly influenced by the increase in PVA and CMC Na concentrations (+1.18 and +2.15)

BUKTI KORESPONDENSI CATATAN REVIEWER 1

with the increase in the curve being dominated by the influence of CMC Na (Figure 1b), while the combination of both has the opposite effect (-0.09). These results indicate that increasing the concentration of PVA can accelerate the drying time due to its adhesive properties (Septiani et al., 2021) so that it forms a dry layer more quickly, as report (Diah et al., 2022).

Table 3. Optimization Equation of Kolang-Kaling Peel-Off Gel Mask

Response	Equation	Model (p-value)	Lack of fit (p-value)
pH	$Y=0.36 A + 0.47 B - 4.97.10^{-3} AB$	0.0015	0.5356
Drying Time	$Y=1.18 A + 2.15 B - 0.09 AB$	0.0268	0.7580
Spreadability	$Y=0.40 A - 2.44 B + 0.24 AB$	0.0054	0.1025
Adhesion	$Y=1.23 A + 3.56 B + 4.21.10^{-3} AB$	0.0195	0.7032
IC50	$Y=1.35 A - 7.53 B + 1.18 AB$	0.0268	0.4315

Note: (P<0.05 means significantly different)

Spreadability Test

The analysis results showed that PVA gave a synergistic effect (+0.40) while CMC Na was an antagonistic (-2.44) on the spreadability of the peel-off gel mask preparation of kolang-kaling powder (Figure 1c). This is influenced by the adhesive properties of PVA which can form resistance so that it provides resistance to mass spread (Diah et al., 2022).

Adhesion Test

The synergistic effect is presented in the increase in the concentration of PVA (+1.23) and CMC Na (+3.56) on the adhesion power of the peel-off gel mask preparation of kolang-kaling powder. Figure 1d shows that the effect of PVA is lower than CMC Na because CMC Na is a hydrophilic polymer, which can expand with the presence of water so that the binding power between particles and viscosity increases (Kusuma et al., 2018). Meanwhile, PVA in high concentrations forms a thinner liquid so that the resulting synergistic effect is lower (Wibowo et al., 2022).

Antioxidant Activity Test by DPPH (2,2-diphenyl-1-picrylhydrazyl) Method

The results of the antioxidant activity test analysis showed that PVA gave a synergistic effect (+1.35) while CMC Na had an antagonistic effect (-7.53) on the IC50 value of the peel-off gel mask preparation of kolang-kaling powder as seen in the equation Table 3 and reinforced by Figure 1e. Increasing the concentration of CMC Na in the preparation can increase the dispersion of galactomanan the form of molecular dispersion. It can bind to DPPH free radicals so that increasing its antioxidant activity as indicated by a decrease in the IC50 value (Zahara et al., 2020).

Commented [rr11]: comma replace period, check all in manuscript

Commented [rr12]: delete

Commented [rr13]: Figure 1, not Figure 1c

BUKTI KORESPONDENSI CATATAN REVIEWER 1




Figure 1. Contour Plot Effect Concentration of PVA and CMC Na on (a) pH; (b) Dry Time; (c) Spreadability; (d) Adhesion; and (e) IC50

Optimization

The optimum formula of peel-off gel mask preparation of kolang-kaling powder was obtained based on the target regression model of all response, namely pH, adhesion, spreading, drying time and IC50.

Table 4. Comparative Analysis of Prediction and Observed Data

Response	Prediction	Observation \pm SD	p-value
pH	5.55	5.60 \pm 0.03	0.06
Drying Time	18.06	18 \pm 0.00	0.09
Spreadability	6.63	6.54 \pm 0.03	0.09
Adhesion	20.34	20.28 \pm 0.07	0.20
IC50	25.5	25.55 \pm 0.73	0.91

Note: (P<0.05 means significantly different)

BUKTI KORESPONDENSI CATATAN REVIEWER 1

The selected formula is expected to produce peel-off gel mask preparation of kolangkaling powder with optimal results for each parameter by determining the priority scale at a weight of 0.1-1. Furthermore, the optimization analysis will produce a desire function in which this study each parameter response is expected as an objective function and the desire function is developed to obtain optimum conditions (Mesa et al., 2017). The results of the model analysis show that the optimum formula is obtained at PVA concentration of 14.97% and CMC Na 0.53% with a predicted pH of 5.55; adhesion of 6.63 seconds; spreadability of 20.34 cm; drying time of 18 minutes and IC50 of 25.5 ppm. The formula has a desirability value of 0.954. The high desirability value indicates that the system will produce predicted values that are close to ideal (Amdoun et al., 2018) To ensure the predicted value, a one-sample t-test analysis was performed with the observation results. The data results show that the observation results are not significantly different from the predicted values ($P>0.05$) for all optimization parameters as shown in Table 4.

CONCLUSIONS

The optimal formula was achieved with a PVA concentration of 14.97% and CMC Na of 0.53%, resulting a predicted pH 5.55, adhesion 6.63 seconds, spreadability 20.34 cm, drying time 18 minutes, and IC50 25.5 ppm (desirability of 0.954). These values showed no significant differences from the observation results, indicating the validity of the optimization equations used for each parameter.

ACKNOWLEDGEMENTS

The author expresses gratitude to the Semarang Pharmacy Foundation for supporting this research through the lecturer grant program, funded by the Research and Community Service Institute (LPPM) of the Semarang Pharmacy Foundation, which has provided funding facilities to ensure the good execution of the study.

REFERENCES

- Amdoun, R., Khelifi, L., Khelifi-Slaoui, M., Amroune, S., Asch, M., Assaf-Ducrocq, C., & Gontier, E. (2018). The Desirability Optimization Methodology; a Tool to Predict Two Antagonist Responses in Biotechnological Systems: Case of Biomass Growth and Hyoscyamine Content in Elicited *Datura starmonium* Hairy Roots. *Iranian Journal of Biotechnology*, 16(1), 11–19. <https://doi.org/10.21859/IJB.1339>
- Andini, T., Yusriadi, Y., & Yuliet, Y. (2017). Optimasi Pembentuk Film Polivinil Alkohol dan Humektan Propilen Glikol pada Formula Masker Gel Peel Off Sari Buah Labu Kuning (*Cucurbita moschata* Duchesne) sebagai Antioksidan. *Jurnal Farmasi Galenika (Galenika*

Commented [rr14]: add limitations and future research

Commented [rr15]: add contract number

Commented [rr16]: please add citations , <https://mfi.stifar.ac.id/MFI/article/view/228>

BUKTI KORESPONDENSI CATATAN REVIEWER 1

Journal of Pharmacy), 3(2), 101–108.

- Anung Anindhita, M., Prastiwi, D., Lu, N., Fitriyani, I., Nanda Rini, S., & Farmasi Universitas Pekalongan, F. (2023). Pengaruh Penggunaan Polivinil Alkohol sebagai Gelling Agent terhadap Sifat Fisikokimia sediaan Gel Peel-off Ekstrak Etanol Buah Pedada. *Parapemikir : Jurnal Ilmiah Farmasi*, 12(1), 18–29. <https://doi.org/10.30591/PJIF.V12I1.3990>
- Arijani, S., & Ariani, L. W. (2019). Pengaruh Variasi Konsentrasi PVA Pada KARAKTERISTIK FISIK Sediaan Masker Gel Peel Off Ekstrak Daun Ungu (*Graptophyllum pictum* L. Griff). *Media Farmasi Indonesia*, 14(2), 1525–1530. <https://mfi.stifar.ac.id/MFI/article/view/131/106>
- Cahyani, I. M., & Putri, I. D. C. (2017). Efektivitas Karbopol 940 Dalam Formula Masker Gel Peel-Off Ekstrak Temu Giring (*Curcuma heyneana* Val & Zijp). *Journal of Pharmaceutical and Medicinal Sciences*, 2(2), 48–51.
- Diah, N. P., Swari, M., Cahyani, I. M., & Hanhadyanaputri, E. S. (2022). Optimization of Polyvinyl Alcohol (PVA) and Glycerin in Kolang Kaling Peel-Off Gel Mask Formula (*Arenga pinnata*). *Journal of Food and Pharmaceutical Sciences*, 2022(3), 746–753. <https://doi.org/10.22146/JFPS.5718>
- Eryani, M. C., Maulani, D., & Ningsih, A. D. R. (2023). Pengaruh Variasi Konsentrasi CMC Na Terhadap Sifat Fisik Masker Gel Peel Off Vitamin C. *MEDFARM: Jurnal Farmasi Dan Kesehatan*, 12(2), 172–180.
- Hanhadyanaputri, E. S., Wulan, A. H., Sulistyarini, I., & Cahyani, I. M. (2023). Perbedaan Aktivitas Antioksidan pada Kolang Kaling Segar dan Kolang Kaling Serbuk. *Jurnal Insan Farmasi Indonesia*, 6(3), 175–183.
- Hasna, L. Z. (2020). Pengaruh Penambahan Gula Pasir Sukrosa Pada Buah Aren (*Arenga pinnata*) Terhadap Manisan Kolang Kaling. *FoodTech: Jurnal Teknologi Pangan*, 3(2), 1–11.
- Holly, P., Kilim, M. ., Harold, M. ., & Rosen, M. . (2018). Optimizing calcium and vitamin D intake through diet and supplements. *Land Clinic Journal of Medicine*, 85(7), 543–550.
- Ihsan, F., Sugiyono, & Suyatma, N. (2022). Karakteristik Galaktomanan dari Berbagai Sumber dan Pemanfaatannya sebagai Bahan Tambahan pada Produk Pangan. *Jurnal Penelitian Dan Pengembangan Pertanian*, 41(20–30).
- Kusuma, T. M., Metty, A., Dianita, P. S., & Syifa, N. (2018). Pengaruh Variasi Jenis dan Konsentrasi Gelling Agent Terhadap Sifat Fisik Gel Hidrokortison. *Jurnal Farmasi Sains Dan Praktis*, 4(1), 44–49.

BUKTI KORESPONDENSI CATATAN REVIEWER 1

- Mesa, L., Martínez, Y., Barrio, E., & González, E. (2017). Desirability function for optimization of Dilute Acid pretreatment of sugarcane straw for ethanol production and preliminary economic analysis based in three fermentation configurations. *Applied Energy*, *198*, 299–311. <https://doi.org/10.1016/J.APENERGY.2017.03.018>
- Septiani, S., Watoni, N., & Mita, S. R. (2021). Formulasi Sediaan Masker Gel Antioksidan dari Ekstrak Etanol Biji Melinjo (*Gnetum Gnenom* Linn). *Students E-Journals*, *1*(1), 1–5.
- Silvia, B. ., Dewi, M. ., & Dariusman, F. (2021). Studi Literatur Pengaruh Jenis dan Konsentrasi Basis terhadap Karakteristik Masker Gel Peel Off. *Prosiding Farmasi*, 148–156.
- Sinambela, E. S., & Telaumbanua, D. (2022). Pengaruh Variasi Konsentrasi PVA dan HPMC Terhadap Stabilitas Fisik Masker Gel Peel-Off Ekstrak Metanol Biji Pepaya (*Carica papaya* L.). *Journal Health Of Education*, *3*(2), 1–4.
- Sulastrri, A., & Dewi, M. . (2018). Formulasi Masker Gel Peel Off untuk Perawatan Kulit Wajah. *Farmaka*, *14*(3), 17–26.
- Syam, N. ., Lestari, U., & Muhaimin. (2021). Formulasi Dan Uji Sifat Masker Gel Peel-Off dari Minyak Sawit Murni dengan Basis Carbomer 940. *Indonesian Journal of Pharma Science*, *3*(1), 42–55.
- Tarigan, J. . (2012). *Karakterisasi Edible Film yang Bersifat Antioksidan dan Antimikroba dari Galaktomanan Biji Aren (*Arenga pinnat*) yang Diinkorporasikan dengan Minyak Atsiri Daun Kemangi (*Ocimum basilicum* L.)*.
- Wibowo, Z. H. L., Syakir, N., Fitrilawati, F., Faizal, F., & Safriani, L. (2022). Karakteristik Serat Nano PVA yang Dibuat Menggunakan Elektrospinning dengan Kolektor Statik. *Jurnal Material Dan Energi Indonesia*, *12*(01), 26–33. <https://doi.org/10.24198/JME.V12I01.43204>
- Wijayanti, A., Ummah, K., & Tjahjani, S. (2005). Characterization of Carboxy Methyl Cellulose (CMC) From *Eichornia crassipes* (Mart) Solms. *Indo. J. Chem*, *5*(3), 228–231.
- Yanti, M., & Ali, S. (2017). Cosmeceutical Effects of Galactomannan Fraction from *Arenga pinnata* Fruits In vitro. *Pharmacognosy Research*, *9*(1), 39–45.
- Yolanda, Y., & Febriyanti. (2021). Pengaruh Pemberian kolang Kaling Terhadap Penurunan Skala Nyeri Rematik Pada Lansia. *Jurnal Menara Medika*, *3*(2), 135–142.
- Zahara, Lucida, H., & Zaini, E. (2020). Pembentukan dispersi padat kuersetin-PVP K-30 dan pengaruhnya terhadap aktivitas antioksidan. *Jurnal Ilmiah Farmasi*, *16*(2), 144–154.

Commented [rr17]: all references in Indonesian are changed to English

BUKTI KORESPONDENSI CATATAN REVIEWER 1

Optimization Formula of Kolang-Kaling Peel-Off Gel Mask with Combination PVA - CMC Na as Gelling Agent on Simplex Lattice Design

Abstract

Kolang-kaling fruit in topical preparations increase its effectiveness as an antioxidant. The peel-off gel mask is as an effective topical preparation for skin health and user comfort. Its formulation is determined by quality parameters, particularly forming a plastic film of PVA and CMC Na as polymers. This study aims to determine the effect of these combination and the ratio of both concentrations based on the physical characteristics and IC50 value. The optimization on the simplex lattice design was obtained in 8 runs with PVA concentrations (10% -15%) and CMC Na (0.5% -5.5%). The pH value, spreadability, adhesion, drying time, and IC50 were used as parameters to determine optimal formula. The results showed that the difference in PVA and CMC Na concentrations had a significant effect on all optimization parameters (p-value <0.05) and the lack of fit for each replication was not significant (p-value > 0.05). The optimal formula obtained PVA concentration of 14.97% and CMC Na 0.53% with a predicted pH of 5.55; adhesion of 6.63 seconds; spread power of 20.34 cm; drying time of 18 minutes, and IC50 of 25.5 ppm (desirability of 0.954), which is not significantly different from the observation results indicating the optimization is valid.

Keyword: Kolang-kaling, Optimization, Peel-off gel mask, PVA, CMC Na.

INTRODUCTION

Kolang-kaling is a type of *Aren* fruit with a chewy texture and a fresh taste, it is widely used as an ingredient in drinks or traditional foods. Several studies have stated that kolang-kaling has numerous health benefits because of the content of compounds, including 9.1% calcium (bones) (Holly et al., 2018) flavonoids (joint pain) (Yolanda & Febriyanti, 2021) crude fiber 10.52% (digestion), and galactomannan, which is widely used as an emulsifier and thickener in ice cream. (Ihsan et al., 2022)

Galactomannan, is a natural hydrocolloid (Hasna, 2020) the content of kolang-kaling is 10µg/mL with antioxidant activity >50% higher than vitamin C (Yanti & Ali, 2017). In another study, it was stated that the antioxidant activity of galactomannan was included in the very strong category with IC50 (20.45 ppm) (Tarigan, 2012). The process of processing and drying Kolang-kaling into powder with several heating methods can affect the antioxidant activity of glucomannan. The drying method that can maintain antioxidant activity in the very strong category is a microwave at a temperature of 40°C for 22 hours with an IC50 value of 25.30 ppm (Hanhadyanaputri et al., 2023) showing the potential to be developed as a peel-off gel mask preparation to increase its effectiveness and comfort.

BUKTI KORESPONDENSI CATATAN REVIEWER 2

PVA (%)	10	12.5	15	10	13.75	11.25	10	12.5	15	15
CMC Na (%)	5.5	3	0.5	5.5	1.75	4.25	5.5	3	0.5	0.5
Propylene Glycol (%)	10	10	10	10	10	10	10	10	10	10
Methyl Paraben (%)	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
Aquadest (%)	Ad 100									

Physical Characteristics Test of Kolang-Kaling Peel-Off Gel Mask

pH Test

This was done by dipping the pH meter electrode into the preparation, leaving it until showing a constant pH value (Andini et al., 2017). A good preparation has a pH that matches the skin's pH, namely in the range of 4.5-6.5 so that when the preparation is applied, it does not cause irritation or cause dry and scaly skin (Silvia et al., 2021).

Drying Time Test

A preparation of 0.1 grams was applied to an area of 2.5 x 2.5 cm on the arm and the time required for the preparation to dry is observed (Andini et al., 2017). The drying time for a good peel-off gel mask spent 15-30 minutes (Silvia et al., 2021).

Spreadability Test

Of 0.5 grams preparation was placed in the center of the spreadability tester, covered with a glass plate that had been previously weighed and its weight recorded, left for one minute, then the four sides of the spread diameter were measured and a load of 50 grams was added, and left again for one minute. The spread diameter of the preparation was then recorded as before. The addition of the load was stopped when the spread diameter of the preparation is constant (Cahyani & Putri, 2017). The spread of a good peel off gel mask is in the range of 5-7 cm. (Silvia et al., 2021)

Adhesion Test

It was carried out by placing 0.25 grams of the preparation on the object glass, given pressure with the addition of a load of 100 grams for 5 minutes and mounted on the adhesion tester. The time for the two object glasses to be released was then recorded. The adhesion test of a good peel-off gel mask was more than 1 second. (Syam et al., 2021)

Antioxidant Activity Test by DPPH (2,2-diphenyl-1-picrylhydrazyl) Method

Vitamin C was produced in a series with concentrations of 2,4,6,8,10 ppm. Gel mask samples were made in concentrations of 20,40,60,70,80 ppm. A 2.0 ml sample was added with 2.0 ml of DPPH solution, placed in a test tube that had been coated with aluminum foil.

Commented [1]: Much space

BUKTI KORESPONDENSI CATATAN REVIEWER 2

The samples were incubated at room temperature according to the OT obtained by each sample. Measure the absorbance using a UV-Vis spectrophotometer using the maximum wavelength obtained. Perform testing on all runs and determine the IC50 value of each run (Diah et al., 2022).

Commented [2]: write the OT clearly

Commented [3]: Write the max WL clearly

Commented [4]: write down the formula for calculating % inhibition

RESULTS AND DISCUSSION

The peel-off gel mask preparation of kolang-kaling powder obtained was then tested for physical characteristics, including pH, drying time, spreadability, adhesion test and antioxidant activity (IC50) with the results of each run can be seen in Table 2.

Commented [5]: write (50) as the index (subscripts) in all IC₅₀ writings

Table 2. Optimization Response to Characterization of Kolang-Kaling Peel-Off Gel Mask

Response	RUN									
	I	II	III	IV	V	VI	VII	VIII	IX	X
pH	5.98	5.70	5.63	5.81	5.69	5.72	5.90	5.68	5.51	5.49
Drying Time (minute)	19	16	17	18	18	17	19	20	18	19
Spreadability (cm)	4.25	6.48	5.45	3.50	8.48	5.02	4.45	6.56	6.78	6.98
Adhesion (second)	37	27	22	28	20	29	31	28	15	25
IC50 (ppm)	33.94	34.97	33.24	39.52	38.69	42.00	36.38	35.95	20.51	20.43

pH Test

Based on the optimization equation of the pH test parameters, it shows that PVA and CMC Na both have an effect on increasing the pH value with coefficients of +0.36 and +0.47 respectively (Table 3), but the effect of the increase was dominated by CMC Na because CMC Na has a higher pH (7.0 - 8.5) (Wijayanti et al., 2005) compared to PVA pH (5.0 - 8.0) (Arijani & Ariani, 2019). The results are in accordance with the pH test profile of the kolang-kaling peel-off gel mask preparation shown in Figure 1a. where there is an increase in the curve that is proportional to the increase in CMC Na concentration.

Dry Time Test

Table 3 shows the optimization equation showing that the increase in drying time is significantly influenced by the increase in PVA and CMC Na concentrations (+1.18 and +2.15)

BUKTI KORESPONDENSI CATATAN REVIEWER 2

with the increase in the curve being dominated by the influence of CMC Na (Figure 1b), while the combination of both has the opposite effect (-0.09). These results indicate that increasing the concentration of PVA can accelerate the drying time due to its adhesive properties (Septiani et al., 2021) so that it forms a dry layer more quickly, as report (Diah et al., 2022).

Table 3. Optimization Equation of Kolang-Kaling Peel-Off Gel Mask

Response	Equation	Model (p-value)	Lack of fit (p-value)
pH	$Y=0.36 A + 0.47 B - 4.97.10^{-3} AB$	0.0015	0.5356
Drying Time	$Y=1.18 A + 2.15 B - 0.09 AB$	0.0268	0,7580
Spreadability	$Y=0.40 A - 2.44 B + 0.24 AB$	0.0054	0.1025
Adhesion	$Y=1.23 A + 3.56 B + 4.21.10^{-3} AB$	0.0195	0.7032
IC50	$Y=1.35 A - 7.53 B + 1.18 AB$	0.0268	0.4315

Note: (P<0.05 means significantly different)

Spreadability Test

The analysis results showed that PVA gave a synergistic effect (+0.40) while CMC Na was antagonistic (-2.44) on the spreadability of the peel-off gel mask preparation of kolang-kaling powder (Figure 1c). This is influenced by the adhesive properties of PVA which can form resistance so that it provides resistance to mass spread (Diah et al., 2022).

Adhesion Test

The synergistic effect is presented in the increase in the concentration of PVA (+1.23) and CMC Na (+3.56) on the adhesion power of the peel-off gel mask preparation of kolang-kaling powder. Figure 1d shows that the effect of PVA is lower than CMC Na because CMC Na is a hydrophilic polymer, which can expand with the presence of water so that the binding power between particles and viscosity increases (Kusuma et al., 2018). Meanwhile, PVA in high concentrations forms a thinner liquid so that the resulting synergistic effect is lower (Wibowo et al., 2022).

Antioxidant Activity Test by DPPH (2,2-diphenyl-1-picrylhydrazyl) Method

The results of the antioxidant activity test analysis showed that PVA gave a synergistic effect (+1.35) while CMC Na had an antagonistic effect (-7.53) on the IC50 value of the peel-off gel mask preparation of kolang-kaling powder as seen in the equation Table 3 and reinforced by Figure 1e. Increasing the concentration of CMC Na in the preparation can increase the dispersion of galactomanan the form of molecular dispersion. It can bind to

BUKTI KORESPONDENSI CATATAN REVIEWER 2

DPPH free radicals so that increasing its antioxidant activity as indicated by a decrease in the IC50 value (Zahara et al., 2020).




Figure 1. Contour Plot Effect Concentration of PVA and CMC Na on (a) pH; (b) Dry Time; (c) Spreadability; (d) Adhesion; and (e) IC50

Optimization

The optimum formula of peel-off gel mask preparation of kolang-kaling powder was obtained based on the target regression model of all response, namely pH, adhesion, spreading, drying time and IC50.

Table 4. Comparative Analysis of Prediction and Observed Data

Response	Prediction	Observation \pm SD	p-value
pH	5.55	5.60 \pm 0.03	0.06
Drying Time	18.06	18 \pm 0.00	0.09
Spreadability	6.63	6.54 \pm 0.03	0.09
Adhesion	20.34	20.28 \pm 0.07	0.20
IC50	25.5	25.55 \pm 0.73	0.91

Note: (P<0.05 means significantly different)

BUKTI KORESPONDENSI CATATAN REVIEWER 2

The selected formula is expected to produce peel-off gel mask preparation of kolangkaling powder with optimal results for each parameter by determining the priority scale at a weight of 0.1-1. Furthermore, the optimization analysis will produce a desire function in which this study each parameter response is expected as an objective function and the desire function is developed to obtain optimum conditions (Mesa et al., 2017). The results of the model analysis show that the optimum formula is obtained at PVA concentration of 14.97% and CMC Na 0.53% with a predicted pH of 5.55; adhesion of 6.63 seconds; spreadability of 20.34 cm; drying time of 18 minutes and IC50 of 25.5 ppm. The formula has a desirability value of 0.954. The high desirability value indicates that the system will produce predicted values that are close to ideal (Amdoun et al., 2018) To ensure the predicted value, a one-sample t-test analysis was performed with the observation results. The data results show that the observation results are not significantly different from the predicted values ($P>0.05$) for all optimization parameters as shown in Table 4.

CONCLUSIONS

The optimal formula was achieved with a PVA concentration of 14.97% and CMC Na of 0.53%, resulting a predicted pH 5.55, adhesion 6.63 seconds, spreadability 20.34 cm, drying time 18 minutes, and IC50 25.5 ppm (desirability of 0.954). These values showed no significant differences from the observation results, indicating the validity of the optimization equations used for each parameter.

ACKNOWLEDGEMENTS

The author expresses gratitude to the Semarang Pharmacy Foundation for supporting this research through the lecturer grant program, funded by the Research and Community Service Institute (LPPM) of the Semarang Pharmacy Foundation, which has provided funding facilities to ensure the good execution of the study.

REFERENCES

- Amdoun, R., Khelifi, L., Khelifi-Slaoui, M., Amroune, S., Asch, M., Assaf-Ducrocq, C., & Gontier, E. (2018). The Desirability Optimization Methodology; a Tool to Predict Two Antagonist Responses in Biotechnological Systems: Case of Biomass Growth and Hyoscyamine Content in Elicited *Datura stramonium* Hairy Roots. *Iranian Journal of Biotechnology*, *16*(1), 11–19. <https://doi.org/10.21859/IJB.1339>
- Andini, T., Yusriadi, Y., & Yuliet, Y. (2017). Optimasi Pembentuk Film Polivinil Alkohol dan Humektan Propilen Glikol pada Formula Masker Gel Peel Off Sari Buah Labu

Commented [6]: If possible, write about each reference

BUKTI KORESPONDENSI CATATAN REVIEWER 2


- Kuning (*Cucurbita moschata* Duchesne) sebagai Antioksidan. *Jurnal Farmasi Galenika (Galenika Journal of Pharmacy)*, 3(2), 101–108.
- Anung Anindhita, M., Prastiwi, D., Lu, N., Fitriyani, I., Nanda Rini, S., & Farmasi Universitas Pekalongan, F. (2023). Pengaruh Penggunaan Polivinil Alkohol sebagai Gelling Agent terhadap Sifat Fisikokimia sediaan Gel Peel-off Ekstrak Etanol Buah Pedada. *Parapemikir: Jurnal Ilmiah Farmasi*, 12(1), 18–29. <https://doi.org/10.30591/PJIF.V12I1.3990>
- Arijani, S., & Ariani, L. W. (2019). Pengaruh Variasi Konsentrasi PVA Pada KARAKTERISTIK FISIK Sediaan Masker Gel Peel Off Ekstrak Daun Ungu (*Graptophyllum pictum* L. Griff). *Media Farmasi Indonesia*, 14(2), 1525–1530. <https://mfi.stifar.ac.id/MFI/article/view/131/106>
- Cahyani, I. M., & Putri, I. D. C. (2017). Efektivitas Karbopol 940 Dalam Formula Masker Gel Peel-Off Ekstrak Temu Giring (*Curcuma heyneana* Val & Zijp). *Journal of Pharmaceutical and Medicinal Sciences*, 2(2), 48–51.
- Diah, N. P., Swari, M., Cahyani, I. M., & Hanhadyanaputri, E. S. (2022). Optimization of Polyvinyl Alcohol (PVA) and Glycerin in Kolang Kaling Peel-Off Gel Mask Formula (*Arenga pinnata*). *Journal of Food and Pharmaceutical Sciences*, 2022(3), 746–753. <https://doi.org/10.22146/JFPS.5718>
- Eryani, M. C., Maulani, D., & Ningsih, A. D. R. (2023). Pengaruh Variasi Konsentrasi CMC Na Terhadap Sifat Fisik Masker Gel Peel Off Vitamin C. *MEDFARM: Jurnal Farmasi Dan Kesehatan*, 12(2), 172–180.
- Hanhadyanaputri, E. S., Wulan, A. H., Sulistyarini, I., & Cahyani, I. M. (2023). Perbedaan Aktivitas Antioksidan pada Kolang Kaling Segar dan Kolang Kaling Serbuk. *Jurnal Insan Farmasi Indonesia*, 6(3), 175–183.
- Hasna, L. Z. (2020). Pengaruh Penambahan Gula Pasir Sukrosa Pada Buah Aren (*Arenga pinnata*) Terhadap Manisan Kolang Kaling. *FoodTech: Jurnal Teknologi Pangan*, 3(2), 1–11.
- Holly, P., Kilim, M. ., Harold, M. ., & Rosen, M. . (2018). Optimizing calcium and vitamin D intake through diet and supplements. *Land Clinic Journal of Medicine*, 85(7), 543–550.
- Ihsan, F., Sugiyono, & Suyatma, N. (2022). Karakteristik Galaktomanan dari Berbagai Sumber dan Pemanfaatannya sebagai Bahan Tambahan pada Produk Pangan. *Jurnal Penelitian Dan Pengembangan Pertanian*, 41(20–30).
- Kusuma, T. M., Metty, A., Dianita, P. S., & Syifa, N. (2018). Pengaruh Variasi Jenis dan Konsentrasi Gelling Agent Terhadap Sifat Fisik Gel Hidrokortison. *Jurnal Farmasi*

BUKTI KORESPONDENSI CATATAN REVIEWER 2

Sains Dan Praktis, 4(1), 44–49.

- Mesa, L., Martínez, Y., Barrio, E., & González, E. (2017). Desirability function for optimization of Dilute Acid pretreatment of sugarcane straw for ethanol production and preliminary economic analysis based in three fermentation configurations. *Applied Energy*, 198, 299–311. <https://doi.org/10.1016/J.APENERGY.2017.03.018>
- Septiani, S., Watoni, N., & Mita, S. R. (2021). Formulasi Sediaan Masker Gel Antioksidan dari Ekstrak Etanol Biji Melinjo (*Gnetum Gnenom Linn*). *Students E-Journals*, 1(1), 1–5.
- Silvia, B. ., Dewi, M. ., & Darusman, F. (2021). Studi Literatur Pengaruh Jenis dan Konsentrasi Basis terhadap Karakteristik Masker Gel Peel Off. *Prosiding Farmasi*, 148–156.
- Sinambela, E. S., & Telaumbanua, D. (2022). Pengaruh Variasi Konsentrasi PVA dan HPMC Terhadap Stabilitas Fisik Masker Gel Peel-Off Ekstrak Metanol Biji Pepaya (Carica pepaya L.). *Journal Health Of Education*, 3(2), 1–4.
- Sulastri, A., & Dewi, M. . (2018). Formulasi Masker Gel Peel Off untuk Perawatan Kulit Wajah. *Farmaka*, 14(3), 17–26.
- Syam, N. ., Lestari, U., & Muhaimin. (2021). Formulasi Dan Uji Sifat Masker Gel Peel-Off dari Minyak Sawit Murni dengan Basis Carbomer 940. *Indonesian Journal of Pharma Science*, 3(1), 42–55.
- Tarigan, J. . (2012). *Karakterisasi Edible Film yang Bersifat Antioksidan dan Antimikroba dari Galaktomanan Biji Aren (Arenga pinnat) yang Diinkorporasikan dengan Minyak Atsiri Daun Kemangi (Ocimum basilicum L.)*.
- Wibowo, Z. H. L., Syakir, N., Fitrilawati, F., Faizal, F., & Safriani, L. (2022). Karakteristik Serat Nano PVA yang Dibuat Menggunakan Elektrospinning dengan Kolektor Statik. *Jurnal Material Dan Energi Indonesia*, 12(01), 26–33. <https://doi.org/10.24198/JME.V12I01.43204>
- Wijayanti, A., Ummah, K., & Tjahjani, S. (2005). Characterization of Carboxy Methyl Cellulose (CMC) From *Eichornia crassipes* (Mart) Solms. *Indo. J. Chem*, 5(3), 228–231.
- Yanti, M., & Ali, S. (2017). Cosmeceutical Effects of Galactomannan Fraction from *Arenga pinnata* Fruits In vitro. *Pharmacognosy Research*, 9(1), 39–45.
- Yolanda, Y., & Febriyanti. (2021). Pengaruh Pemberian kolang Kaling Terhadap Penurunan Skala Nyeri Rematik Pada Lansia. *Jurnal Menara Medika*, 3(2), 135–142.
- Zahara, Lucida, H., & Zaini, E. (2020). Pembentukan dispersi padat kuersetin-PVP K-30 dan pengaruhnya terhadap aktivitas antioksidan. *Jurnal Ilmiah Farmasi*, 16(2), 144–154.

BUKTI KORESPONDENSI CATATAN REVIEWER 2



Optimization Formula of Kolang-Kaling (**Arenga Pinnata**) Peel-Off Gel Mask with Combination PVA - CMC Na as Gelling Agent on Simplex Lattice Design

Intan Martha CAHYANI*, Eka Susanti HANHADYANAPUTRI, Ariani Hesti WULAN, Indah SULISTYARINI

STIFAR Yayasan Farmasi, letjend Sarwo Edie Wibowo KM 1, Semarang, Indonesia

[*Corresponding author: intanmartha20@gmail.com](mailto:intanmartha20@gmail.com)

Abstract

Kolang-kaling fruit in topical preparations increase its effectiveness as an antioxidant. The peel-off gel mask is as an effective topical preparation for skin health and user comfort. Its formulation is determined by quality parameters, particularly forming a plastic film of **Polyvinyl Alcohol (PVA) and Carboxymethylcellulose Sodium (CMC Na) as polymers**. This study aims to determine the effect of these combination and the ratio of both concentrations based on the physical characteristics and **IC₅₀** value. The optimization on the simplex lattice design was obtained in 8 runs with PVA concentrations (10% -15%) and CMC Na (0.5% -5.5%). The pH value, spreadability, adhesion, drying time, and IC₅₀ were used as parameters to determine optimal formula. The results showed that the difference in PVA and CMC Na concentrations had a significant effect on all optimization parameters (p-value <0.05) and the lack of fit for each replication was not significant (p-value > 0.05). The optimal formula obtained PVA concentration of 14.97% and CMC Na 0.53% with a predicted pH of 5.55; adhesion of 6.63 seconds; spread power of 20.34 cm; drying time of 18 minutes, and IC₅₀ of 25.5 ppm (desirability of 0.954), which is not significantly different from the observation results indicating the optimization is valid.

Keyword: Kolang-kaling, Optimization, Peel-off gel mask, PVA, CMC Na.

INTRODUCTION

Kolang-kaling is a type of *Aren* fruit with a chewy texture and a fresh taste, it is widely used as an ingredient in drinks or traditional foods. Several studies have stated that kolang-kaling has numerous health benefits because of the content of compounds, including 9.1% calcium (bones) (Holly et al., 2018) flavonoids (joint pain) (Yolanda & Febriyanti, 2021) crude fiber 10.52% (digestion), and galactomannan, which is widely used as an emulsifier and thickener in ice cream. (Ihsan et al., 2022)

Galactomannan, is a natural hydrocolloid (Hasna, 2020) the content of kolang-kaling is 10µg/mL with antioxidant activity >50% higher than vitamin C (Yanti & Ali, 2017). In another

study, it was stated that the antioxidant activity of galactomannan was included in the very strong category with IC_{50} (20.45 ppm) (Tarigan, 2012). The process of processing and drying Kolang-kaling into powder with several heating methods can affect the antioxidant activity of glucomannan. The drying method that can maintain antioxidant activity in the very strong category is a microwave at a temperature of 40°C for 22 hours with an IC_{50} value of 25.30 ppm (Hanhadyanaputri et al., 2023) showing the potential to be developed as a peel-off gel mask preparation to increase its effectiveness and comfort.

Peel-off gel mask is the right dosage form for use on facial skin with an elastic membrane and is easy to remove after use (Sulastri & Dewi, 2018) in its formulation, gelling agent plays an important role for this purpose. PVA can function as a gelling agent because it is a hydrophilic polymer with adhesive properties that will help provide a film layer effect called the peel-off effect and can be easily peeled off after drying (Anung Anindhita et al., 2023). Not only does PVA have advantages as a gelling agent, but there are also disadvantages that must be considered in its use, namely the formation of a rigid and easily broken film layer (Sinambela & Telaumbanua, 2022). CMC Na is a hydrophilic polymer with a more stable viscosity over a long period of time (Eryani et al., 2023) thus it can increase the elasticity of the PVA layer formed. This study aims to determine the effect of the combination of PVA and CMC Na and the ratio of these concentrations to obtain the optimal peel-off gel mask formula for kolang-kaling.

MATERIALS AND METHODS

a) Materials and Tools

The materials needed are kolang-kaling taken from Gunung Pati Semarang PVA, CMC Na, propylenglycol, methylparaben, 2,2-diphenyl-1-picrylhydrazyl (DPPH), and Vitamin C. In this research process, tools are needed, including a blender, microwave, pH meter, and UV-Vis spectrophotometer.

b) Methods

Preparation of Kolang-Kaling Powder

Soak the kolang-kaling in clean water for 1 x 24 hours, wash it clean, drain, thinly sliced, and dried in a microwave at 40°C for 22 hours, blended and sieved through mesh No. 44.

Preparation of Kolang-Kaling Peel-Off Gel Mask

PVA, CMC Na, and palm sugar powder were each developed with 80°C aqua destillata, then mixed and homogenized. The mixture was added with methylparaben that had been dissolved in propylene glycol, and stirred until homogeneous. The proportion of PVA and CMC

Na was determined according to the optimization design with the simplex lattice design method according to the formula for each run as seen in Table 1.

Table 1. Design Optimization of Kolang-Kaling Peel-Off Gel Mask

Formula	RUN									
	I	II	III	IV	V	VI	VII	VIII	IX	X
Kolang-Kaling Powder (%)	2	2	2	2	2	2	2	2	2	2
PVA (%)	10	12.5	15	10	13.75	11.25	10	12.5	15	15
CMC Na (%)	5.5	3	0.5	5.5	1.75	4.25	5.5	3	0.5	0.5
Propylene Glycol (%)	10	10	10	10	10	10	10	10	10	10
Methyl Paraben (%)	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
Aquadest (%)	Ad 100									

Physical Characteristics Test of Kolang-Kaling Peel-Off Gel Mask

pH Test

This was done by dipping the pH meter electrode into the preparation, leaving it until showing a constant pH value (Andini et al., 2017). A good peel-off gel mask has a pH that matches the skin's pH, namely in the range of 4.5-6.5 so that when the peel-off gel mask is applied, it does not cause irritation or cause dry and scaly skin (Silvia et al., 2021).

Drying Time Test

A peel-off gel mask of 0.1 grams was applied to an area of 2.5x2.5 cm on the arm and the time required for the preparation to dry is observed (Andini et al., 2017). The drying time for a good peel-off gel mask spent 15-30 minutes (Silvia et al., 2021).

Spreadability Test

Of 0.5 grams peel-off gel mask was placed in the center of the spreadability tester, covered with a glass plate that had been previously weighed and its weight recorded, left for one minute, then the four sides of the spread diameter were measured and a load of 50 grams was added, and left again for one minute. The spread diameter of the peel-off gel mask was then recorded as before. The addition of the load was stopped when the spread diameter of the peel-off gel mask is constant (Cahyani & Putri, 2017). The spread of a good peel off gel mask is in the range of 5-7 cm.(Silvia et al., 2021)

Adhesion Test

It was carried out by placing 0.25 grams of the peel-off gel mask on the object glass, given pressure with the addition of a load of 100 grams for 5 minutes and mounted on the

adhesion tester. The time for the two object glasses to be released was then recorded. The adhesion test of a good peel-off gel mask was more than 1 second.(Syam et al., 2021)

Antioxidant Activity Test by DPPH (2,2-diphenyl-1-picrylhydrazyl) Method

Vitamin C was produced in a series with concentrations of 2,4,6,8,10 ppm. Gel mask samples were made in concentrations of 20,40,60,70,80 ppm. A 2.0 ml sample was added with 2.0 ml of DPPH solution, placed in a test tube that had been coated with aluminum foil. Samples were incubated at room temperature for 23 minutes. Measure the absorption using a UV-Vis spectrophotometer at the maximum wavelength (516,60 nm). Perform testing on all runs and determine the IC₅₀ value of each run (Diah et al., 2022).

RESULTS AND DISCUSSION

The peel-off gel mask preparation of kolang-kaling powder obtained was then tested for physical characteristics, including pH, drying time, spreadability, adhesion test and antioxidant activity (IC₅₀) with the results of each run can be seen in Table 2.

Table 2. Optimization Response to Characterization of Kolang-Kaling Peel-Off Gel Mask

Response	RUN									
	I	II	III	IV	V	VI	VII	VIII	IX	X
pH	5.98	5.70	5.63	5.81	5.69	5.72	5.90	5.68	5.51	5.49
Drying Time (minute)	19	16	17	18	18	17	19	20	18	19
Spreadability (cm)	4.25	6.48	5.45	3.50	8.48	5.02	4.45	6.56	6.78	6.98
Adhesion (second)	37	27	22	28	20	29	31	28	15	25
IC ₅₀ (ppm)	33.94	34.97	33.24	39.52	38.69	42.00	36.38	35.95	20.51	20.43

pH Test

Based on the optimization equation of the pH test parameters, it shows that PVA and CMC Na both have an effect on increasing the pH value with coefficients of +0.36 and +0.47 respectively (Table 3), but the effect of the increase was dominated by CMC Na because CMC Na has a higher pH (7.0 - 8.5) (Wijayanti et al., 2005) compared to PVA pH (5.0 – 8.0) (Arijani & Ariani, 2019). The results are in accordance with the pH test profile of the kolang-kaling

peel-off gel mask preparation shown in Figure 1a. where there is an increase in the curve that is proportional to the increase in CMC Na concentration.

Dry Time Test

Table 3 shows the optimization equation showing that the increase in drying time is significantly influenced by the increase in PVA and CMC Na concentrations (+1.18 and +2.15) with the increase in the curve being dominated by the influence of CMC Na (Figure 1b), while the combination of both has the opposite effect (-0.09). These results indicate that increasing the concentration of PVA can accelerate the drying time due to its adhesive properties (Septiani et al., 2021) so that it forms a dry layer more quickly, as report (Diah et al., 2022).

Table 3. Optimization Equation of Kolang-Kaling Peel-Off Gel Mask

Response	Equation	Model (p-value)	Lack of fit (p-value)
pH	$Y=0.36 A + 0.47 B - 4.97.10^{-3} AB$	0.0015	0.5356
Drying Time	$Y=1.18 A + 2.15 B - 0.09 AB$	0.0268	0.7580
Spreadability	$Y=0.40 A - 2.44 B + 0.24 AB$	0.0054	0.1025
Adhesion	$Y=1.23 A + 3.56 B + 4.21.10^{-3} AB$	0.0195	0.7032
IC50	$Y=1.35 A - 7.53 B + 1.18 AB$	0.0268	0.4315

Note: (P<0.05 means significantly different)

Spreadability Test

The analysis results showed that PVA gave a synergistic effect (+0.40) while CMC Na was antagonistic (-2.44) on the spreadability of the peel-off gel mask of kolang-kaling powder (Figure 1c). This is influenced by the adhesive properties of PVA which can form resistance so that it provides resistance to mass spread (Diah et al., 2022).

Adhesion Test

The synergistic effect is presented in the increase in the concentration of PVA (+1.23) and CMC Na (+3.56) on the adhesion power of the peel-off gel mask preparation of kolang-kaling powder. Figure 1d shows that the effect of PVA is lower than CMC Na because CMC Na is a hydrophilic polymer, which can expand with the presence of water so that the binding power between particles and viscosity increases (Kusuma et al., 2018). Meanwhile, PVA in high concentrations forms a thinner liquid so that the resulting synergistic effect is lower (Wibowo et al., 2022).

Antioxidant Activity Test by DPPH (2,2-diphenyl-1-picrylhydrazyl) Method

The results of the antioxidant activity test analysis showed that PVA gave a synergistic effect (+1.35) while CMC Na had an antagonistic effect (-7.53) on the IC₅₀ value of the peel-off gel mask preparation of kolang-kaling powder as seen in the equation Table 3 and reinforced by Figure 1e. Increasing the concentration of CMC Na in the preparation can increase the dispersion of galactomanan the form of molecular dispersion. It can bind to DPPH free radicals so that increasing its antioxidant activity as indicated by a decrease in the IC₅₀ value (Zahara et al., 2020).




Figure 1. Contour Plot Effect Concentration of PVA and CMC Na on (a) pH; (b) Dry Time; (c) Spreadability; (d) Adhesion; and (e) IC₅₀

Optimization

The optimum formula of peel-off gel mask preparation of kolang-kaling powder was obtained based on the target regression model of all response, namely pH, adhesion, spreading, drying time and IC₅₀.

Table 4. Comparative Analysis of Prediction and Observed Data

Response	Prediction	Observation ±SD	p-value
----------	------------	-----------------	---------

pH	5.55	5.60 ± 0.03	0.06
Drying Time	18.06	18 ± 0.00	0.09
Spreadability	6.63	6.54 ± 0.03	0.09
Adhesion	20.34	20.28 ± 0.07	0.20
IC50	25.5	25.55 ± 0.73	0.91

Note: (P<0.05 means significantly different)

The selected formula is expected to produce peel-off gel mask preparation of kolang-kaling powder with optimal results for each parameter by determining the priority scale at a weight of 0.1-1. Furthermore, the optimization analysis will produce a desire function in which this study each parameter response is expected as an objective function and the desire function is developed to obtain optimum conditions (Mesa et al., 2017). The results of the model analysis show that the optimum formula is obtained at PVA concentration of 14.97% and CMC Na 0.53% with a predicted pH of 5.55; adhesion of 6.63 seconds; spreadability of 20.34 cm; drying time of 18 minutes and IC50 of 25.5 ppm. The formula has a desirability value of 0.954. The high desirability value indicates that the system will produce predicted values that are close to ideal (Amdoun et al., 2018) To ensure the predicted value, a one-sample t-test analysis was performed with the observation results. The data results show that the observation results are not significantly different from the predicted values (P>0.05) for all optimization parameters as shown in Table 4.

CONCLUSIONS

The optimal formula was achieved with a PVA concentration of 14.97% and CMC Na of 0.53%, resulting a predicted pH 5.55, adhesion 6.63 seconds, spreadability 20.34 cm, drying time 18 minutes, and IC50 25.5 ppm (desirability of 0.954). These values showed no significant differences from the observation results, indicating the validity of the optimization equations used for each parameter.

ACKNOWLEDGEMENTS

The author expresses gratitude to the Semarang Pharmacy Foundation for supporting this research through the Institute for Research and **Community in the lecturer research grant program with a contact number 03/LPPM/EDW-SW/PDL/VI/2021.**

REFERENCES

Amdoun, R., Khelifi, L., Khelifi-Slaoui, M., Amroune, S., Asch, M., Assaf-Ducrocq, C., & Gontier, E. (2018). The Desirability Optimization Methodology; a Tool to Predict Two

BUKTI KOESPONDENSI SUBMIT REVISED MANUSCRIPT

- Antagonist Responses in Biotechnological Systems: Case of Biomass Growth and Hyoscyamine Content in Elicited *Datura starmonium* Hairy Roots. *Iranian Journal of Biotechnology*, 16(1), 11–19. <https://doi.org/10.21859/IJB.1339>
- Andini, T., Yusriadi, Y., & Yuliet, Y. (2017). Optimasi Pembentuk Film Polivinil Alkohol dan Humektan Propilen Glikol pada Formula Masker Gel Peel Off Sari Buah Labu Kuning (*Cucurbita moschata* Duchesne) sebagai Antioksidan. *Jurnal Farmasi Galenika (Galenika Journal of Pharmacy)*, 3(2), 101–108.
- Anung Anindhita, M., Prastiwi, D., Lu, N., Fitriyani, I., Nanda Rini, S., & Farmasi Universitas Pekalongan, F. (2023). Pengaruh Penggunaan Polivinil Alkohol sebagai Gelling Agent terhadap Sifat Fisikokimia sediaan Gel Peel-off Ekstrak Etanol Buah Pedada. *Parapemikir : Jurnal Ilmiah Farmasi*, 12(1), 18–29. <https://doi.org/10.30591/PJIF.V12I1.3990>
- Arijani, S., & Ariani, L. W. (2019). Pengaruh Variasi Konsentrasi PVA Pada KARAKTERISTIK FISIK Sediaan Masker Gel Peel Off Ekstrak Daun Ungu (*Graptophyllum pictum* L. Griff). *Media Farmasi Indonesia*, 14(2), 1525–1530. <https://mfi.stifar.ac.id/MFI/article/view/131/106>
- Cahyani, I. M., & Putri, I. D. C. (2017). Efektivitas Karbopol 940 Dalam Formula Masker Gel Peel-Off Ekstrak Temu Giring (*Curcuma heyneana* Val & Zijp). *Journal of Pharmaceutical and Medicinal Sciences*, 2(2), 48–51.
- Diah, N. P., Swari, M., Cahyani, I. M., & Hanhadyanaputri, E. S. (2022). Optimization of Polyvinyl Alcohol (PVA) and Glycerin in Kolang Kaling Peel-Off Gel Mask Formula (*Arenga pinnata*). *Journal of Food and Pharmaceutical Sciences*, 2022(3), 746–753. <https://doi.org/10.22146/JFPS.5718>
- Eryani, M. C., Maulani, D., & Ningsih, A. D. R. (2023). Pengaruh Variasi Konsentrasi CMC Na Terhadap Sifat Fisik Masker Gel Peel Off Vitamin C. *MEDFARM: Jurnal Farmasi Dan Kesehatan*, 12(2), 172–180.
- Hanhadyanaputri, E. S., Wulan, A. H., Sulistyarini, I., & Cahyani, I. M. (2023). Perbedaan Aktivitas Antioksidan pada Kolang Kaling Segar dan Kolang Kaling Serbuk. *Jurnal Insan Farmasi Indonesia*, 6(3), 175–183.
- Hasna, L. Z. (2020). Pengaruh Penambahan Gula Pasir Sukrosa Pada Buah Aren (*Arenga pinnata*) Terhadap Manisan Kolang Kaling. *FoodTech: Jurnal Teknologi Pangan*, 3(2), 1–11.
- Holly, P., Kilim, M., Harold, M., & Rosen, M. (2018). Optimizing calcium and vitamin D intake through diet and supplements. *Land Clinic Journal of Medicine*, 85(7), 543–550.

BUKTI KOESPONDENSI SUBMIT REVISED MANUSCRIPT

- Ihsan, F., Sugiyono, & Suyatma, N. (2022). Kakarakteristik Galaktomanan dari Berbagai Sumber dan Pemanfaatannya sebagai Bahan Tambahan pada Produk Pangan. *Jurnal Penelitian Dan Pengembangan Pertanian*, 41(20–30).
- Kusuma, T. M., Metty, A., Dianita, P. S., & Syifa, N. (2018). Pengaruh Variasi Jenis dan Konsentrasi Gelling Agent Terhadap Sifat Fisik Gel Hidrokortison. *Jurnal Farmasi Sains Dan Praktis*, 4(1), 44–49.
- Mesa, L., Martínez, Y., Barrio, E., & González, E. (2017). Desirability function for optimization of Dilute Acid pretreatment of sugarcane straw for ethanol production and preliminary economic analysis based in three fermentation configurations. *Applied Energy*, 198, 299–311. <https://doi.org/10.1016/J.APENERGY.2017.03.018>
- Septiani, S., Watoni, N., & Mita, S. R. (2021). Formulasi Sediaan Masker Gel Antioksidan dari Ekstrak Etanol Biji Melinjo (*Gnetum Gnenom Linn*). *Students E-Journals*, 1(1), 1–5.
- Silvia, B. ., Dewi, M. ., & Darusman, F. (2021). Studi Literatur Pengaruh Jenis dan Konsentrasi Basis terhadap Karakteristik Masker Gel Peel Off. *Prosiding Farmasi*, 148–156.
- Sinambela, E. S., & Telaumbanua, D. (2022). Pengaruh Variasi Konsentrasi PVA dan HPMC Terhadap Stabilitas Fisik Masker Gel Peel-Off Ekstrak Metanol Biji Pepaya (*Carica papaya L.*). *Journal Health Of Education*, 3(2), 1–4.
- Sulastri, A., & Dewi, M. . (2018). Formulasi Masker Gel Peel Off untuk Perawatan Kulit Wajah. *Farmaka*, 14(3), 17–26.
- Syam, N. ., Lestari, U., & Muhaimin. (2021). Formulasi Dan Uji Sifat Masker Gel Peel-Off dari Minyak Sawit Murni dengan Basis Carbomer 940. *Indonesian Journal of Pharma Science*, 3(1), 42–55.
- Tarigan, J. . (2012). *Karakterisasi Edible Film yang Bersifat Antioksidan dan Antimikroba dari Galaktomanan Biji Aren (Arenga pinnat) yang Diinkorporasikan dengan Minyak Atsiri Daun Kemangi (Ocimum basilicum L.)*.
- Wibowo, Z. H. L., Syakir, N., Fitrilawati, F., Faizal, F., & Safriani, L. (2022). Karakteristik Serat Nano PVA yang Dibuat Menggunakan Elektrosinning dengan Kolektor Statik. *Jurnal Material Dan Energi Indonesia*, 12(01), 26–33. <https://doi.org/10.24198/JME.V12I01.43204>
- Wijayanti, A., Ummah, K., & Tjahjani, S. (2005). Characterization of Carboxy Methyl Cellulose (CMC) From *Eichornia crassipes* (Mart) Solms. *Indo. J. Chem*, 5(3), 228–231.
- Yanti, M., & Ali, S. (2017). Cosmeceutical Effects of Galactomannan Fraction from *Arenga pinnata* Fruits In vitro. *Pharmacognosy Research*, 9(1), 39–45.
- Yolanda, Y., & Febriyanti. (2021). Pengaruh Pemberian kolang Kaling Terhadap Penurunan

BUKTI KOESPONDENSI SUBMIT REVISED MANUSCRIPT

Skala Nyeri Rematik Pada Lansia. *Jurnal Menara Medika*, 3(2), 135–142.

Zahara, Lucida, H., & Zaini, E. (2020). Pembentukan dispersi padat kuersetin-PVP K-30 dan pengaruhnya terhadap aktivitas antioksidan. *Jurnal Ilmiah Farmasi*, 16(2), 144–154.

OPTIMIZATION FORMULA OF KOLANG-KALING (ARENGA PINNATA.) PEEL-OFF GEL MASK WITH COMBINATION PVA - CMC Na AS GELLING AGENT ON SIMPLEX LATTICE DESIGN

Intan Martha Cahyani*, Eka Susanti Hanhadyanaputri, Ariani Hesti Wulan, Indah Sulistyarini
STIFAR Yayasan Pharmasi, letjend Sarwo Edie Wibowo KM 1, Semarang, Indonesia

[*Corresponding author: intanmartha20@gmail.com](mailto:intanmartha20@gmail.com)

Abstract

Kolang-kaling fruit in topical preparations increase its effectiveness as an antioxidant. The peel-off gel mask is as an effective topical preparation for skin health and user comfort. Its formulation is determined by quality parameters, particularly forming a plastic film of Polyvinyl Alcohol (PVA) and Carboxymethylcellulose Sodium (CMC Na) as polymers. This study aims to determine the effect of these combination and the ratio of both concentrations based on the physical characteristics and IC₅₀ value. The optimization on the simplex lattice design was obtained in 8 runs with PVA concentrations (10% -15%) and CMC Na (0.5% - 5.5%). The pH value, spreadability, adhesion, drying time, and IC₅₀ were used as parameters to determine optimal formula. The results showed that the difference in PVA and CMC Na concentrations had a significant effect on all optimization parameters (p-value <0.05) and the lack of fit for each replication was not significant (p-value > 0.05). The optimal formula obtained PVA concentration of 14.97% and CMC Na 0.53% with a predicted pH of 5.55; adhesion of 6.63 seconds; spread power of 20.34 cm; drying time of 18 minutes, and IC₅₀ of 25.5 ppm (desirability of 0.954), which is not significantly different from the observation results indicating the optimization is valid.

Keyword: Kolang-kaling, Optimization, Peel-off gel mask, PVA, CMC Na.

INTRODUCTION

Kolang-kaling is a type of *Aren* fruit with a chewy texture and a fresh taste, it is widely used as an ingredient in drinks or traditional foods. Several studies have stated that kolang-kaling has numerous health benefits because of the content of compounds, including 9.1% calcium (bones) (Holly et al., 2018) flavonoids (joint pain) (Yolanda & Febriyanti, 2021) crude fiber 10.52% (digestion), and galactomannan, which is widely used as an emulsifier and thickener in ice cream (Ihsan et al., 2022).

Galactomannan, is a natural hydrocolloid (Hasna, 2020) the content of kolang-kaling is 10µg/mL with antioxidant activity >50% higher than vitamin C (Yanti & Ali, 2017). In another study, it was stated that the antioxidant activity of galactomannan was included in the very strong category with IC₅₀ (20.45 ppm) (Tarigan, 2012). The process of processing and drying Kolang-kaling into powder with several heating methods can affect the antioxidant

activity of glucomannan. The drying method that can maintain antioxidant activity in the very strong category is a microwave at a temperature of 40°C for 22 hours with an IC₅₀ value of 25.30 ppm (Hanhadyanaputri et al., 2023) showing the potential to be developed as a peel-off gel mask preparation to increase its effectiveness and comfort.

Peel-off gel mask is the right dosage form for use on facial skin with an elastic membrane and is easy to remove after use (Sulastri & Dewi, 2018) in its formulation, gelling agent plays an important role for this purpose. PVA can function as a gelling agent because it is a hydrophilic polymer with adhesive properties that will help provide a film layer effect called the peel-off effect and can be easily peeled off after drying (Anung Anindhita et al., 2023). Not only does PVA have advantages as a gelling agent, but there are also disadvantages that must be considered in its use, namely the formation of a rigid and easily broken film layer (Sinambela & Telaumbanua, 2022). CMC Na is a hydrophilic polymer with a more stable viscosity over a long period of time (Eryani et al., 2023) thus it can increase the elasticity of the PVA layer formed. This study aims to determine the effect of the combination of PVA and CMC Na and the ratio of these concentrations to obtain the optimal peel-off gel mask formula for kolang-kaling.

MATERIALS AND METHODS

a) Materials and Tools

The materials needed are kolang-kaling taken from Gunung Pati Semarang PVA, CMC Na, propilenglycol, methylparaben, 2,2-diphenyl-1-picrylhydrazyl (DPPH), and Vitamin C. In this research process, tools are needed, including a blender, microwave, pH meter, and UV-Vis spectrophotometer.

b) Methods

Preparation of Kolang-Kaling Powder

Soak the kolang-kaling in clean water for 1 x 24 hours, wash it clean, drain, thinly sliced, and dried in a microwave at 40°C for 22 hours, blended and sieved through mesh No. 44.

Preparation of Kolang-Kaling Peel-Off Gel Mask

PVA, CMC Na, and palm sugar powder were each developed with 80°C aqua destillata, then mixed and homogenized. The mixture was added with methylparaben that had been dissolved in propylene glycol, and stirred until homogeneous. The proportion of PVA and CMC Na was determined according to the optimization design with the simplex lattice design method according to the formula for each run as seen in Table 1.

Table 1. Design Optimization of Kolang-Kaling Peel-Off Gel Mask

Formula	RUN									
	I	II	III	IV	V	VI	VII	VIII	IX	X
Kolang-Kaling Powder (%)	2	2	2	2	2	2	2	2	2	2
PVA (%)	10	12.5	15	10	13.75	11.25	10	12.5	15	15
CMC Na (%)	5.5	3	0.5	5.5	1.75	4.25	5.5	3	0.5	0.5
Propylene Glycol (%)	10	10	10	10	10	10	10	10	10	10
Methyl Paraben (%)	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
Aquadest (%)	Ad 100									

Physical Characteristics Test of Kolang-Kaling Peel-Off Gel Mask

pH Test

This was done by dipping the pH meter electrode into the preparation, leaving it until showing a constant pH value (Andini et al., 2017). A good peel-off gel mask has a pH that matches the skin's pH, namely in the range of 4.5-6.5 so that when the peel-off gel mask is applied, it does not cause irritation or cause dry and scaly skin (Silvia et al., 2021).

Drying Time Test

A peel-off gel mask of 0.1 grams was applied to an area of 2.5x2.5 cm on the arm and the time required for the preparation to dry is observed (Andini et al., 2017). The drying time for a good peel-off gel mask spent 15-30 minutes (Silvia et al., 2021).

Spreadability Test

Of 0.5 grams peel-off gel mask was placed in the center of the spreadability tester, covered with a glass plate that had been previously weighed and its weight recorded, left for one minute, then the four sides of the spread diameter were measured and a load of 50 grams was added, and left again for one minute. The spread diameter of the peel-off gel mask was then recorded as before. The addition of the load was stopped when the spread diameter of the peel-off gel mask is constant (Cahyani & Putri, 2017). The spread of a good peel off gel mask is in the range of 5-7 cm.(Silvia et al., 2021)

Adhesion Test

It was carried out by placing 0.25 grams of the peel-off gel mask on the object glass, given pressure with the addition of a load of 100 grams for 5 minutes and mounted on the adhesion tester. The time for the two object glasses to be released was then recorded. The adhesion test of a good peel-off gel mask was more than 1 second.(Syam et al., 2021)

Antioxidant Activity Test by DPPH (2,2-diphenyl-1-picrylhydrazyl) Method

Vitamin C was produced in a series with concentrations of 2,4,6,8,10 ppm. Gel mask samples were made in concentrations of 20,40,60,70,80 ppm. A 2.0 ml sample was added with 2.0 ml of DPPH solution, placed in a test tube that had been coated with aluminum foil. Samples were incubated at room temperature for 23 minutes. Measure the absorption using a UV-Vis spectrophotometer at the maximum wavelength (516,60 nm). Perform testing on all runs and determine the IC₅₀ value of each run (Diah et al., 2022).

RESULTS AND DISCUSSION

The peel-off gel mask preparation of kolang-kaling powder obtained was then tested for physical characteristics, including pH, drying time, spreadability, adhesion test and antioxidant activity (IC₅₀) with the results of each run can be seen in Table 2.

Table 2. Optimization Response to Characterization of Kolang-Kaling Peel-Off Gel Mask

Response	RUN									
	I	II	III	IV	V	VI	VII	VIII	IX	X
pH	5.98	5.70	5.63	5.81	5.69	5.72	5.90	5.68	5.51	5.49
Drying Time (minute)	19	16	17	18	18	17	19	20	18	19
Spreadability (cm)	4.25	6.48	5.45	3.50	8.48	5.02	4.45	6.56	6.78	6.98
Adhesion (second)	37	27	22	28	20	29	31	28	15	25
IC ₅₀ (ppm)	33.94	34.97	33.24	39.52	38.69	42.00	36.38	35.95	20.51	20.43

pH Test

Based on the optimization equation of the pH test parameters, it shows that PVA and CMC Na both have an effect on increasing the pH value with coefficients of +0.36 and +0.47 respectively (Table 3), but the effect of the increase was dominated by CMC Na because CMC Na has a higher pH (7.0 - 8.5) (Wijayanti et al., 2005) compared to PVA pH (5.0 – 8.0) (Arijani & Ariani, 2019). The results are in accordance with the pH test profile of the kolang-kaling peel-off gel mask preparation shown in Figure 1a. where there is an increase in the curve that is proportional to the increase in CMC Na concentration.

Dry Time Test

Table 3 shows the optimization equation showing that the increase in drying time is significantly influenced by the increase in PVA and CMC Na concentrations (+1.18 and

+2.15) with the increase in the curve being dominated by the influence of CMC Na (Figure 1b), while the combination of both has the opposite effect (-0.09). These results indicate that increasing the concentration of PVA can accelerate the drying time due to its adhesive properties (Septiani et al., 2021) so that it forms a dry layer more quickly, as report (Diah et al., 2022).

Table 3. Optimization Equation of Kolang-Kaling Peel-Off Gel Mask

Response	Equation	Model (p-value)	Lack of fit (p-value)
pH	$Y=0.36 A + 0.47 B - 4.97.10^{-3} AB$	0.0015	0.5356
Drying Time	$Y=1.18 A + 2.15 B - 0.09 AB$	0.0268	0.7580
Spreadability	$Y=0.40 A - 2.44 B + 0.24 AB$	0.0054	0.1025
Adhesion	$Y=1.23 A + 3.56 B + 4.21.10^{-3} AB$	0.0195	0.7032
IC50	$Y=1.35 A - 7.53 B + 1.18 AB$	0.0268	0.4315

Note: (P<0.05 means significantly different)

Spreadability Test

The analysis results showed that PVA gave a synergistic effect (+0.40) while CMC Na was anatagonistic (-2.44) on the spreadability of the peel-off gel mask of kolang-kaling powder (Figure 1c). This is influenced by the adhesive properties of PVA which can form resistance so that it provides resistance to mass spread (Diah et al., 2022).

Adhesion Test

The synergistic effect is presented in the increase in the concentration of PVA (+1.23) and CMC Na (+3.56) on the adhesion power of the peel-off gel mask preparation of kolang-kaling powder. Figure 1d shows that the effect of PVA is lower than CMC Na because CMC Na is a hydrophilic polymer, which can expand with the presence of water so that the binding power between particles and viscosity increases (Kusuma et al., 2018). Meanwhile, PVA in high concentrations forms a thinner liquid so that the resulting synergistic effect is lower (Wibowo et al., 2022).

Antioxidant Activity Test by DPPH (2,2-diphenyl-1-picrylhydrazyl) Method

The results of the antioxidant activity test analysis showed that PVA gave a synergistic effect (+1.35) while CMC Na had an antagonistic effect (-7.53) on the IC50 value of the peel-off gel mask preparation of kolang-kaling powder as seen in the equation Table 3 and reinforced by Figure 1e. Increasing the concentration of CMC Na in the preparation can increase the dispersion of galactomanan the form of molecular dispersion. It can bind to

DPPH free radicals so that increasing its antioxidant activity as indicated by a decrease in the IC50 value (Zahara et al., 2020).




Figure 1. Contour Plot Effect Concentration of PVA and CMC Na on (a) pH; (b) Dry Time; (c) Spreadability; (d) Adhesion; and (e) IC50

Optimization

The optimum formula of peel-off gel mask preparation of kolang-kaling powder was obtained based on the target regression model of all response, namely pH, adhesion, spreading, drying time and IC50.

Table 4. Comparative Analysis of Prediction and Observed Data

Response	Prediction	Observation ±SD	p-value
pH	5.55	5.60 ± 0.03	0.06
Drying Time	18.06	18 ± 0.00	0.09
Spreadability	6.63	6.54 ± 0.03	0.09
Adhesion	20.34	20.28 ± 0.07	0.20
IC50	25.5	25.55 ± 0.73	0.91

Note: (P<0.05 means significantly different)

The selected formula is expected to produce peel-off gel mask preparation of kolangkaling powder with optimal results for each parameter by determining the priority scale at a weight of 0.1-1. Furthermore, the optimization analysis will produce a desire function in which this study each parameter response is expected as an objective function and the desire function is developed to obtain optimum conditions (Mesa et al., 2017). The results of the model analysis show that the optimum formula is obtained at PVA concentration of 14.97% and CMC Na 0.53% with a predicted pH of 5.55; adhesion of 6.63 seconds; spreadability of 20.34 cm; drying time of 18 minutes and IC50 of 25.5 ppm. The formula has a desirability value of 0.954. The high desirability value indicates that the system will produce predicted values that are close to ideal (Amdoun et al., 2018) To ensure the predicted value, a one-sample t-test analysis was performed with the observation results. The data results show that the observation results are not significantly different from the predicted values ($P > 0.05$) for all optimization parameters as shown in Table 4.

CONCLUSIONS

The optimal formula was achieved with a PVA concentration of 14.97% and CMC Na of 0.53%, resulting a predicted pH 5.55, adhesion 6.63 seconds, spreadability 20.34 cm, drying time 18 minutes, and IC50 25.5 ppm (desirability of 0.954). These values showed no significant differences from the observation results, indicating the validity of the optimization equations used for each parameter.

ACKNOWLEDGEMENTS

The author expresses gratitude to the Semarang Pharmacy Foundation for supporting this research through the Institute for Research and Community in the lecturer research grant program with a contact number 03/LPPM/EDW-SW/PDL/VI/2021.

REFERENCES

- Amdoun, R., Khelifi, L., Khelifi-Slaoui, M., Amroune, S., Asch, M., Assaf-Ducrocq, C., & Gontier, E. (2018). The Desirability Optimization Methodology; a Tool to Predict Two Antagonist Responses in Biotechnological Systems: Case of Biomass Growth and Hyoscyamine Content in Elicited *Datura stramonium* Hairy Roots. *Iranian Journal of Biotechnology*, 16(1), 11–19. <https://doi.org/10.21859/IJB.1339>
- Andini, T., Yusriadi, Y., & Yuliet, Y. (2017). Optimasi Pembentuk Film Polivinil Alkohol dan Humektan Propilen Glikol pada Formula Masker Gel Peel Off Sari Buah Labu

- Kuning (*Cucurbita moschata* Duchesne) sebagai Antioksidan. *Jurnal Farmasi Galenika (Galenika Journal of Pharmacy)*, 3(2), 101–108.
- Anung Anindhita, M., Prastiwi, D., Lu, N., Fitriyani, lu, Nanda Rini, S., & Farmasi Universitas Pekalongan, F. (2023). Pengaruh Penggunaan Polivinil Alkohol sebagai Gelling Agent terhadap Sifat Fisikokimia sediaan Gel Peel-off Ekstrak Etanol Buah Pedada. *Parapemikir: Jurnal Ilmiah Farmasi*, 12(1), 18–29. <https://doi.org/10.30591/PJIF.V12I1.3990>
- Arijani, S., & Ariani, L. W. (2019). Pengaruh Variasi Konsentrasi PVA Pada KARAKTERISTIK FISIK Sediaan Masker Gel Peel Off Ekstrak Daun Ungu (*Graptophyllum pictum* L. Griff). *Media Farmasi Indonesia*, 14(2), 1525–1530. <https://mfi.stifar.ac.id/MFI/article/view/131/106>
- Cahyani, I. M., & Putri, I. D. C. (2017). Efektivitas Karbopol 940 Dalam Formula Masker Gel Peel-Off Ekstrak Temu Giring (*Curcuma heyneana* Val & Zijp). *Journal of Pharmaceutical and Medicinal Sciences*, 2(2), 48–51.
- Diah, N. P., Swari, M., Cahyani, I. M., & Hanhadyanaputri, E. S. (2022). Optimization of Polyvinyl Alcohol (PVA) and Glycerin in Kolang Kaling Peel-Off Gel Mask Formula (*Arenga pinnata*). *Journal of Food and Pharmaceutical Sciences*, 2022(3), 746–753. <https://doi.org/10.22146/JFPS.5718>
- Eryani, M. C., Maulani, D., & Ningsih, A. D. R. (2023). Pengaruh Variasi Konsentrasi CMC Na Terhadap Sifat Fisik Masker Gel Peel Off Vitamin C. *MEDFARM: Jurnal Farmasi Dan Kesehatan*, 12(2), 172–180.
- Hanhadyanaputri, E. S., Wulan, A. H., Sulistyarini, I., & Cahyani, I. M. (2023). Perbedaan Aktivitas Antioksidan pada Kolang Kaling Segar dan Kolang Kaling Serbuk. *Jurnal Insan Farmasi Indonesia*, 6(3), 175–183.
- Hasna, L. Z. (2020). Pengaruh Penambahan Gula Pasir Sukrosa Pada Buah Aren (*Arenga pinnata*) Terhadap Manisan Kolang Kaling. *FoodTech: Jurnal Teknologi Pangan*, 3(2), 1–11.
- Holly, P., Kilim, M. ., Harold, M. ., & Rosen, M. . (2018). Optimizing calcium and vitamin D intake through diet and supplements. *Land Clinic Journal of Medicine*, 85(7), 543–550.
- Ihsan, F., Sugiyono, & Suyatma, N. (2022). Kakarakteristik Galaktomanan dari Berbagai Sumber dan Pemanfaatannya sebagai Bahan Tambahan pada Produk Pangan. *Jurnal Penelitian Dan Pengembangan Pertanian*, 41(20–30).
- Kusuma, T. M., Metty, A., Dianita, P. S., & Syifa, N. (2018). Pengaruh Variasi Jenis dan Konsentrasi Gelling Agent Terhadap Sifat Fisik Gel Hidrokortison. *Jurnal Farmasi*

Sains Dan Praktis, 4(1), 44–49.

- Mesa, L., Martínez, Y., Barrio, E., & González, E. (2017). Desirability function for optimization of Dilute Acid pretreatment of sugarcane straw for ethanol production and preliminary economic analysis based in three fermentation configurations. *Applied Energy*, 198, 299–311. <https://doi.org/10.1016/J.APENERGY.2017.03.018>
- Septiani, S., Watoni, N., & Mita, S. R. (2021). Formulasi Sediaan Masker Gel Antioksidan dari Ekstrak Etanol Biji Melinjo (*Gnetum Gnenom Linn*). *Students E-Journals*, 1(1), 1–5.
- Silvia, B. ., Dewi, M. ., & Darusman, F. (2021). Studi Literatur Pengaruh Jenis dan Konsentrasi Basis terhadap Karakteristik Masker Gel Peel Off. *Prosiding Farmasi*, 148–156.
- Sinambela, E. S., & Telaumbanua, D. (2022). Pengaruh Variasi Konsentrasi PVA dan HPMC Terhadap Stabilitas Fisik Masker Gel Peel-Off Ekstrak Metanol Biji Pepaya (*Carica papaya L.*). *Journal Health Of Education*, 3(2), 1–4.
- Sulastris, A., & Dewi, M. . (2018). Formulasi Masker Gel Peel Off untuk Perawatan Kulit Wajah. *Farmaka*, 14(3), 17–26.
- Syam, N. ., Lestari, U., & Muhaimin. (2021). Formulasi Dan Uji Sifat Masker Gel Peel-Off dari Minyak Sawit Murni dengan Basis Carbomer 940. *Indonesian Journal of Pharma Science*, 3(1), 42–55.
- Tarigan, J. . (2012). *Karakterisasi Edible Film yang Bersifat Antioksidan dan Antimikroba dari Galaktomanan Biji Aren (Arenga pinnat) yang Diinkorporasikan dengan Minyak Atsiri Daun Kemangi (Ocimum basilicum L.)*.
- Wibowo, Z. H. L., Syakir, N., Fitrilawati, F., Faizal, F., & Safriani, L. (2022). Karakteristik Serat Nano PVA yang Dibuat Menggunakan Elektrosinning dengan Kolektor Statik. *Jurnal Material Dan Energi Indonesia*, 12(01), 26–33. <https://doi.org/10.24198/JME.V12I01.43204>
- Wijayanti, A., Ummah, K., & Tjahjani, S. (2005). Characterization of Carboxy Methyl Cellulose (CMC) From *Eichornia crassipes* (Mart) Solms. *Indo. J. Chem*, 5(3), 228–231.
- Yanti, M., & Ali, S. (2017). Cosmeceutical Effects of Galactomannan Fraction from *Arenga pinnata* Fruits In vitro. *Pharmacognosy Research*, 9(1), 39–45.
- Yolanda, Y., & Febriyanti. (2021). Pengaruh Pemberian kolang Kaling Terhadap Penurunan Skala Nyeri Rematik Pada Lansia. *Jurnal Menara Medika*, 3(2), 135–142.
- Zahara, Lucida, H., & Zaini, E. (2020). Pembentukan dispersi padat kuersetin-PVP K-30 dan pengaruhnya terhadap aktivitas antioksidan. *Jurnal Ilmiah Farmasi*, 16(2), 144–154.